

Version: 2.13	Revision Date: 21.08.2024	Print Date: 22.08.2024
SECTION 1: Identification of the	substance/mixture and of the	e company/undertaking
1.1 Product identifier		
Trade name :	A004-K21 hebro®HB-400 D	
1.2 Relevant identified uses of the	substance or mixture and uses a	dvised against
Use of the Sub- : stance/Mixture	Cleaner for professional applicati	on in industry and trade
1.3 Details of the supplier of the sa	fety data sheet	
Company	: hebro chemie- ZN der Ro GmbH Rostocker Str. 40 41199 Mönchengladbac	
Contact person	: Zentrale hebro chemie	
Telephone	: +49 (0) 2166 6009-0	
Telefax	: +49 (0) 2166 6009-99	
Contact person product safety	Abteilung Produktsicherh	ieit
Telephone E-mail address	: +49(0)2166 6009-311 : msds.de@hebro-chemie	de
	. msus.de@nebio-chemie	ue
1.4 Emergency telephone number		

: Giftinformationszentrum Erfurt: +49 (0) 361 730 730

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Corrosive to metals, Category 1	H290: May be corrosive to metals.
Skin corrosion, Sub-category 1A	H314: Causes severe skin burns and eye damage.
Serious eye damage, Category 1	H318: Causes serious eye damage.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word

: Danger



Version: 2.13		Revision Date: 21.08.2024 Print Date: 22.08.2		
Hazard statements	:	H290 H314	May be corrosive to met Causes severe skin burr	
Precautionary statements	:	Prevention P280	: Wear protective gloves/ protection/ face protectio	
		Response:		
		P301 + P33	0 + P331 IF SWALLOV NOT induce vomiting.	VED: Rinse mouth. Do
		P303 + P36	0	(or hair): Take off immedi- othing. Rinse skin with
		P304 + P34	0 + P310 IF INHALED: air and keep comfortable ately call a POISON CEI	e for breathing. Immedi-
		P305 + P35	i1 + P338 + P310 IF IN with water for several mi lenses, if present and ea	EYES: Rinse cautiously nutes. Remove contact
		P390	Absorb spillage to preve	nt material damage.

Hazardous components which must be listed on the label:

Potassium Hydroxide

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: This substance/mixture does not contain components considered to have endocrine disrupting properties for environment according to UK REACH Article 57(f).

Toxicological information: This substance/mixture does not contain components considered to have endocrine disrupting properties for human health according to UK REACH Article 57(f),

SECTION 3: Composition/information on ingredients

:

3.2 Mixtures

Chemical nature

Alkaline cleaner based on lye and silicates Aqueous surfactant solution.

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		
	Registration number		
Tetrapotassium pyrophosphate	7320-34-5	Acute Tox. 4; H332	>= 2.5 - < 10
	230-785-7		
	01-2119489369-18		
Potassium Hydroxide	1310-58-3	Acute Tox. 4; H302	>= 5 - < 10
	215-181-3	Skin Corr. 1A; H314	
	01-2119487136-33	Eye Dam. 1; H318	



Version: 2.13

Revision Date: 21.08.2024

Print Date: 22.08.2024

		specific concentration limit Skin Corr. 1A; H314 >= 5 % Skin Corr. 1B; H314 2 - < 5 % Eye Irrit. 2; H319 0.5 - < 2 % Skin Irrit. 2; H315 0.5 - < 2 %	
Poly(oxy-1,2-ethanediyl), .alpha.,.alpha.'-[(dodecylimino)di- 2,1-ethanediyl]bis(.omega hydroxy)-	31017-83-1	Aquatic Chronic 3; H412 Acute Tox. 4; H302 Eye Dam. 1; H318 Aquatic Acute 1; H400	>= 2.5 - < 10
sodium p-cumenesulphonate	15763-76-5 239-854-6 01-2119489411-37	Eye Irrit. 2; H319	>= 1 - < 2.5
potassium p-cumenesulphonate	164524-02-1 01-2119489427-24	Eye Irrit. 2; H319	>= 1 - < 2.5

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	First aider needs to protect himself. Move out of dangerous area.
If inhaled	:	Move to fresh air. If symptoms persist, call a physician.
In case of skin contact	:	Take off all contaminated clothing immediately. After contact with skin, wash immediately with plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	In case of eye contact, remove contact lens and rinse imme- diately with plenty of water, also under the eyelids, for at least 15 minutes. Call a physician immediately.
If swallowed	:	Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting. If symptoms persist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed

Risks	:	Causes serious eye damage.
		Causes severe burns.

4.3 Indication of any immediate medical attention and special treatment needed



Version: 2.13		Revision Date: 21.08.2024	Print Date: 22.08.2024
SECTION 5: Firefighting meas	sur	es	
5.1 Extinguishing media			
Suitable extinguishing media	:	Alcohol-resistant foam Carbon dioxide (CO2) Dry powder Water spray jet	
Unsuitable extinguishing media	:	High volume water jet	
5.2 Special hazards arising from	the	e substance or mixture	
Specific hazards during fire- fighting	:	The product is not flammable.	
5.3 Advice for firefighters			
Special protective equipment for firefighters	:	In the event of fire and/or explosio Wear self-contained breathing app essary.	
Specific extinguishing meth- ods	:	Use water spray to cool unopened	l containers.
Further information	:	Fire residues and contaminated fir be disposed of in accordance with	

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Wear suitable protective clothing, gloves and eye/face protec- tion.
----------------------	---	---

6.2 Environmental precautions

Environmental precautions	:	Inform the relevant authorities if it enters sewers, aquatic envi-
		ronment or soil.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	 Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal. Suitable material for dilution or neutralization
-------------------------	--

6.4 Reference to other sections

Refer to protective measures listed in sections 7 and 8., For disposal considerations see section 13.



Version: 2.13		Revision Date: 21.08.2024	Print Date: 22.08.2024				
SECTION 7: Handling and storage							
7.1 Precautions for safe handling							
Advice on safe handling	:	Provide sufficient air exchange and/o Have eye wash bottle or eye rinse rea Avoid contact with skin and eyes.					
Advice on protection against : fire and explosion	:	Normal measures for preventive fire p	protection.				
7.2 Conditions for safe storage, in	cl	uding any incompatibilities					
Requirements for storage areas and containers	:	Containers which are opened must b kept upright to prevent leakage. Keep place.					
Further information on stor- age conditions	:	Keep only in the original container in place. Protect from frost.	a cool, well-ventilated				
Advice on common storage	:	Do not store together with acids and	ammonium salts.				
Recommended storage tem-	:	5 - 40 °C					
7.3 Specific end use(s)							
Specific use(s)	:	Cleaner for professional application in	n industry and trade				

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Potassium Hydrox- ide	1310-58-3	STEL	2 mg/m3	GB EH40

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006

Substance name	End Use	Exposure routes	Potential health ef- fects	Value	
Tetrapotassium pyro- phosphate	Workers	Inhalation	Long-term systemic effects	2.79 mg/m3	
Potassium Hydroxide	Workers	Inhalation	Long-term local ef- fects	1 mg/m3	
sodium p- cumenesulphonate	Workers	Inhalation	Long-term systemic effects	26.9 mg/m3	
	Workers	Skin contact	Long-term local ef- fects	0.096 mg/cm2	
	Workers	Skin contact	Long-term systemic effects	136.25 mg/kg bw/day	
potassium p- cumenesulphonate	Workers	Inhalation	Long-term systemic effects	26.9 mg/m3	



Version: 2.13	Revision Date: 21.08.2024 Print Date: 22.08.2024			e: 22.08.2024
	Workers	Skin contact	Long-term local ef- fects	0.096 mg/cm2
	Workers	Skin contact	Long-term systemic effects	136.25 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006

Substance name	Environmental Compartment	Value
Tetrapotassium pyrophosphate	Fresh water	0.05 mg/l
	Marine water	0.005 mg/l
	Sewage treatment plant	50 mg/l
sodium p-cumenesulphonate	Fresh water	0.23 mg/l
	Marine water	0.023 mg/l
	Intermittent use/release	2.3 mg/l
	Sewage treatment plant	100 mg/l
	Fresh water sediment	0.862 mg/kg
	Marine sediment	0.0862 mg/kg
	Soil	0.037 mg/kg
potassium p-cumenesulphonate	Fresh water	0.23 mg/l
	Marine water	0.023 mg/l
	Intermittent use/release	2.3 mg/l
	Sewage treatment plant	100 mg/l
	Fresh water sediment	0.862 mg/kg
	Marine sediment	0.0862 mg/kg
	Soil	0.037 mg/kg

8.2 Exposure controls

Personal protective equipment					
Eye/face protection :	Safety glasses with side-shields conforming to EN166 Face-shield				
Break through time :	Protective gloves complying with EN 374. > 60 min Class 3				
Material : Glove thickness :	Nitrile rubber 0.4 mm				
Material : Glove thickness :	butyl-rubber 0.5 mm				
Remarks :	The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. The exact break through time can be obtained from the protective glove producer and this has to be observed.				
Skin and body protection :	Chemical resistant protective clothing according to DIN EN 13034 (Type 6) Long sleeved clothing Chemical resistant apron				
Respiratory protection :	Breathing apparatus needed only when aerosol or mist is formed.				



Version: 2.13		Revision Date: 21.08.2024	Print Date: 22.08.2024
Filter type	:	Combined particulates, ammonia/am gas/vapour and organic vapour type	
Protective measures	:	When using do not eat, drink or smo Wash hands before breaks and at th Follow the skin protection plan.	

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Colour	:	yellow
Odour	:	mild
Melting point/freezing point	:	not determined
Boiling point/boiling range	:	> 100 °C Method: DIN 51751
Upper explosion limit / Upper flammability limit	:	not determined
Lower explosion limit / Lower flammability limit	:	not determined
Auto-ignition temperature	:	not determined
рН	:	11.9 (20 °C) Concentration: 10 g/l
Viscosity Viscosity, kinematic	:	similar to water
Solubility(ies) Water solubility	:	1,000 g/l completely soluble
Partition coefficient: n- octanol/water	:	Not applicable
Vapour pressure	:	23 hPa (20 °C) Information taken from reference works and the literature.
		7/46



Version: 2.13		Revision Date: 21.08.2024	Print Date: 22.08.2024
Density	:	1.16 g/cm³ (20 °C) Method: DIN 51757	
Relative vapour density	:	not determined	
9.2 Other information			
Explosives	:	No data available	
Substances and mixtures, which in contact with water, emit flammable gases	:	No data available	
Metal corrosion rate	:	Corrosive to metals	

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

Stable at normal ambient temperature and pressure.

10.3 Possibility of hazardous re	eactio	ns
Hazardous reactions	:	Exothermic reaction with strong acids.
10.4 Conditions to avoid		
Conditions to avoid	:	Product is stable under appropriate usage.

10.5 Incompatible materials

Materials to avoid : Acids

10.6 Hazardous decomposition products

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Not classified due to lack of	f data.	
Product: Acute oral toxicity	:	Acute toxicity estimate: > 2,000 mg/kg Method: Calculation method
Acute inhalation toxicity	:	Acute toxicity estimate: > 5 mg/l



Version: 2.13		Revision Date: 21.08.2024	Print Date: 22.08.2024
		Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method	
Components:			
Tetrapotassium pyrophos	sphate	9:	
Acute oral toxicity	:		
Acute inhalation toxicity	:	LC50 (Rat): > 1.1 mg/l Exposure time: 4 h Test atmosphere: dust/mist	
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg Method: OECD Test Guideline 402	
Potassium Hydroxide:			
Acute oral toxicity	:	LD50 (Rat): 333 mg/kg	
Poly(oxy-1,2-ethanediyl), hydroxy)-:	.alpha	a.,.alpha.'-[(dodecylimino)di-2,1-eth	nanediyl]bis(.omega
Acute oral toxicity	:	LD50 (Rat): > 300 - 2,000 mg/kg Method: OECD Test Guideline 401	
Skin corrosion/irritation			
Causes severe burns.			
Serious eye damage/eye i	irritati	ion	
Causes serious eye damag	je.		
Components:			

sodium p-cumenesulphonate:

Species	:	Rabbit
Assessment	:	Irritating to eyes.
Method	:	OECD Test Guideline 405
Result	:	Eye irritation
GLP	:	yes

Respiratory or skin sensitisation

Skin sensitisation

Not classified due to lack of data.

Respiratory sensitisation

Not classified due to lack of data.

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Based on available data, the classification criteria are not met.

Product:



Version: 2.13	Revision Date: 21.08.2024	Print Date: 22.08.2024
Carcinogenicity - Assess- : ment	Not classifiable as a human carcinoge	n.
Reproductive toxicity Not classified due to lack of data.		
STOT - single exposure Not classified due to lack of data.		
STOT - repeated exposure Not classified due to lack of data.		
Aspiration toxicity Not classified due to lack of data.		
11.2 Information on other hazards		
Endocrine disrupting propertie	S	
Product: Assessment :	This substance/mixture does not conta ered to have endocrine disrupting prop according to UK REACH Article 57(f),	•

SECTION 12: Ecological information

12.1 Toxicity

Components:

Tetrapotassium pyrophosphate: Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l : Exposure time: 96 h Test Type: semi-static test Method: OECD Test Guideline 203 EC50 (Daphnia magna (Water flea)): > 100 mg/l Toxicity to daphnia and other : aquatic invertebrates Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202 Toxicity to algae/aquatic (Desmodesmus subspicatus): > 100 mg/l 2 Exposure time: 72 h plants Test Type: Growth inhibition Method: OECD Test Guideline 201 Toxicity to microorganisms EC50 (Bacteria): > 1,000 mg/l : Exposure time: 3 h **Potassium Hydroxide:** Toxicity to fish LC50 (Fish): 28.6 mg/l : Exposure time: 24 h Method: OECD Test Guideline 203



sion: 2.13		Revision Date: 21.08.2024	Print Date: 22.08.20
		LC50 (Gambusia affinis (Mosquito f Exposure time: 96 h	ish)): 80 mg/l
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia (water flea)): > 100 Method: OECD Test Guideline 202	mg/l
Poly(oxy-1,2-ethanediyl), .al hydroxy)-:	pha	n.,.alpha.'-[(dodecylimino)di-2,1-eth	nanediyl]bis(.omega
Toxicity to fish	:	LC50 (Brachydanio rerio (Zebra dar Exposure time: 96 h Test Type: semi-static test Method: OECD Test Guideline 203	nio)): > 0.1 - 1 mg/l
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea) Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202): > 1 - 10 mg/l
Toxicity to algae/aquatic plants	:	EC50 (Desmodesmus subspicatus) Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201	: > 0.1 - 1 mg/l
Toxicity to microorganisms	:	EC10 (Pseudomonas putida): > 10,	000 mg/l
sodium p-cumenesulphonat	e:		
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainb Exposure time: 96 h Test Type: static test	ow trout)): > 100 mg/l
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea) Exposure time: 48 h Test Type: static test): > 100 mg/l
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapi mg/l Exposure time: 96 h Test Type: static test	tata (green algae)): > 10
Toxicity to microorganisms	:	EC10 (activated sludge): > 1,000 m Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209	ıg/l
potassium p-cumenesulpho	nat		
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainb Exposure time: 96 h Test Type: static test	ow trout)): > 100 mg/l
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea) Exposure time: 48 h Test Type: static test): > 100 mg/l
			tata (green algae)): > 10



Version: 2.13		Revision Date: 21.08.2024	Print Date: 22.08.2024
plants		mg/l Exposure time: 96 h Test Type: static test	
Toxicity to microorganisms	:	EC10 (activated sludge): > 1,000 mg/l Exposure time: 3 h Test Type: Growth inhibition Method: OECD Test Guideline 209	
12.2 Persistence and degradabi	ility		
Product:			
Biodegradability	:	Remarks: No data available	
Components:			
Poly(oxy-1,2-ethanediyl), .a hydroxy)-:	lpha	a.,.alpha.'-[(dodecylimino)di-2,1-ethar	nediyl]bis(.omega
Biodegradability	:	Biodegradation: > 60 % Exposure time: 28 d Method: OECD Test Guideline 301B Remarks: Readily biodegradable. This surfactant complies with the biode laid down in Regulation (EC) No.648/2 Data to support this assertion are held competent authorities of the Member S available to them, at their direct request detergent manufacturer.	2004 on detergents. I at the disposal of the States and will be made
12.3 Bioaccumulative potential			
Product:			
Bioaccumulation	:	Remarks: No data available	
Components:			
sodium p-cumenesulphona Partition coefficient: n- octanol/water	ate: :	log Pow: 1.1	
12.4 Mobility in soil			
Product:			
Mobility	:	Remarks: No data available	
12.5 Results of PBT and vPvB a	isse	ssment	
Product:			
Assessment	:	This substance/mixture contains no co to be either persistent, bioaccumulativ very persistent and very bioaccumulat 0.1% or higher.	e and toxic (PBT), or



Version: 2.13		Revision Date: 21.08.2024	Print Date: 22.08.2024
12.6 Endocrine disrupting prop	ertie	es	
Product:			
Assessment	:	This substance/mixture does not con ered to have endocrine disrupting pro according to UK REACH Article 57(f)	operties for environment
12.7 Other adverse effects			
Product:			
Additional ecological infor- mation	:	Do not flush into surface water or san Avoid subsoil penetration.	nitary sewer system.
SECTION 13: Disposal consi	der	ations	

13.1 Waste treatment methods

Product	:	Do not let product enter drains. Do not dispose of with domestic refuse. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.
Contaminated packaging	:	Dispose of in accordance with local regulations.
Waste Code	:	Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	UN 1760
RID	:	UN 1760
IMDG	:	UN 1760
ΙΑΤΑ	:	UN 1760
14.2 UN proper shipping name		
ADR	:	CORROSIVE LIQUID, N.O.S. (Potassium Hydroxide)
RID	:	CORROSIVE LIQUID, N.O.S. (Potassium Hydroxide)
IMDG	:	CORROSIVE LIQUID, N.O.S. (Potassium Hydroxide)
ΙΑΤΑ	:	Corrosive liquid, n.o.s. (Potassium Hydroxide)

14.3 Transport hazard class(es)

Subsidiary risks



ersion: 2.13		Revision Date: 21.08.2024	Print Date: 22.08.202
ADR	:	8	
RID	:	8	
IMDG	:	8	
ΙΑΤΑ	:	8	
I.4 Packing group			
ADR			
Packing group	:	П	
Classification Code	:	C9	
Hazard Identification Number	:	80	
Labels	:	8	
Tunnel restriction code	:	(E)	
RID			
Packing group	:	II	
Classification Code	:	C9	
Hazard Identification Number	:	80	
Labels	:	8	
IMDG			
Packing group	:		
Labels	:	8	
EmS Code	:	F-A, S-B	
Remarks	•	Alkalis, Clear of living quarters.	
IATA (Cargo)			
Packing instruction (cargo	:	855	
aircraft)			
Packing instruction (LQ)	:	Y840	
Packing group	:	II	
Labels	:	Corrosives	
IATA_P (Passenger)			
Packing instruction (passen-	:	851	
ger aircraft)		V840	
Packing instruction (LQ)	:	Y840 II	
Packing group Labels	÷	Corrosives	
.5 Environmental hazards			
ADR			
Environmentally hazardous		no	
-	•		
RID			
Environmentally hazardous	:	no	
IMDG			
Marine pollutant	:	no	
.6 Special precautions for user	•		
1.6 Special precautions for user	•		

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.



Version: 2.13	Revision Date: 21.08.2024	Print Date: 22.08.2024

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17)	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 3
UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation	:	Not applicable
The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Brit- ain)	:	Not applicable
Regulation (EC) on substances that deplete the ozone layer	:	Not applicable
UK REACH List of substances subject to authorisation (Annex XIV)	:	Not applicable
GB Export and import of hazardous chemicals - Prior Informed Consent (PIC) Regulation	:	Not applicable

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance.

SECTION 16: Other information

Full text of H-Statements

H302	:	Harmful if swallowed.
H314	:	Causes severe skin burns and eye damage.
H318	:	Causes serious eye damage.
H319	:	Causes serious eye irritation.
H332	:	Harmful if inhaled.
H400	:	Very toxic to aquatic life.
H412	:	Harmful to aquatic life with long lasting effects.
Full text of other abbreviation	ons	
Acute Tox.	:	Acute toxicity
Acute Tox. Aquatic Acute	:	Acute toxicity Short-term (acute) aquatic hazard
	:	,
Aquatic Acute	: : :	Short-term (acute) aquatic hazard
Aquatic Acute Aquatic Chronic		Short-term (acute) aquatic hazard Long-term (chronic) aquatic hazard
Aquatic Acute Aquatic Chronic Eye Dam.		Short-term (acute) aquatic hazard Long-term (chronic) aquatic hazard Serious eye damage
Aquatic Acute Aquatic Chronic Eye Dam. Eye Irrit.	· · · · · · · · · · · · · · · · · · ·	Short-term (acute) aquatic hazard Long-term (chronic) aquatic hazard Serious eye damage Eye irritation
Aquatic Acute Aquatic Chronic Eye Dam. Eye Irrit. Skin Corr.		Short-term (acute) aquatic hazard Long-term (chronic) aquatic hazard Serious eye damage Eye irritation Skin corrosion



Version: 2.13

Revision Date: 21.08.2024

Print Date: 22.08.2024

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways: ADR - Agreement concerning the International Carriage of Dangerous Goods by Road: AIIC - Australian Inventory of Industrial Chemicals: ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association: IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Verv Bioaccumulative

Further information

Other information: The information provided is based on our current knowledge
and experience and apply to the product as delivered. Re-
garding the product properties, these are not guaranteed. The
delivery of this safety datasheet does not free the recipient of
the product from his own responsibility to follow the relevant
rules and regulations concerning this product.
This safety datasheet complies with the requirements of
Regulation (EC) No. 1907/2006.

Classification of the mixture:Classification procedure:Met. Corr. 1H290Based on product data or assessmentSkin Corr. 1AH314Calculation methodEye Dam. 1H318Calculation method

GB / EN