

Version: 2.6

Revision Date: 23.03.2021

Print Date: 24.03.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : A055-K21 hebro@lan U 93-114

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-
stance/Mixture : Cleaner for professional application in industry and trade

1.3 Details of the supplier of the safety data sheet

Company : hebro chemie- ZN der Rockwood Specialties Group
GmbH
Rostocker Str. 40
41199 Mönchengladbach

Contact person : Zentrale hebro chemie
Telephone : +49 (0) 2166 6009-0
Telefax : +49 (0) 2166 6009-99

Contact person product safety : Abteilung Produktsicherheit
Telephone : +49(0)2166 6009-311
E-mail address : msds.de@hebro-chemie.de

1.4 Emergency telephone number

: Giftinformationszentrum Erfurt:
+49 (0) 361 730 730

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Serious eye damage, Category 1 H318: Causes serious eye damage.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Danger

Hazard statements : H318 Causes serious eye damage.

Precautionary statements : **Prevention:**
P262 Do not get in eyes, on skin, or on clothing.

Version: 2.6

Revision Date: 23.03.2021

Print Date: 24.03.2021

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/ doctor.

Hazardous components which must be listed on the label:

Isotridecyl alcohol, ethoxylated

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

The information required is contained in this Material Safety Data Sheet.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Preparation based on various alkalis and surfactants.

Hazardous components

Chemical name	CAS-No. EC-No. Registration number	Classification (REGULATION (EC) No 1272/2008)	Concentration (% w/w)
Isotridecyl alcohol, ethoxylated	9043-30-5	Acute Tox. 4; H302 Eye Dam. 1; H318	>= 3 - < 10
Amines, alkyldimethyl, N-oxides	61788-90-7 263-016-9	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Acute 1; H400 Aquatic Chronic 2; H411 M-Factor Acute aquatic toxicity:1	>= 0.25 - < 1

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

If inhaled : No special precautions required.

In case of skin contact : After contact with skin, wash immediately with plenty of water. Take off contaminated clothing and shoes immediately. If symptoms persist, call a physician.

In case of eye contact : In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least

Version: 2.6

Revision Date: 23.03.2021

Print Date: 24.03.2021

15 minutes.
Seek medical treatment when symptoms develop due to contact with eyes.
If eye irritation persists, consult a specialist.

If swallowed : Call a physician immediately.
Keep patient warm and at rest.
Immediately give large quantities of water to drink.
Prevent vomiting if possible.

4.2 Most important symptoms and effects, both acute and delayed

Risks : Causes skin irritation.
Causes serious eye damage.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry powder
Water spray jet

Unsuitable extinguishing media : High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Combustion may cause:
Carbon dioxide (CO₂)
Carbon monoxide

5.3 Advice for firefighters

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

Further information : Prevent fire extinguishing water from contaminating surface water or the ground water system.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Handle in accordance with good industrial hygiene and safety practice.

Version: 2.6

Revision Date: 23.03.2021

Print Date: 24.03.2021

6.2 Environmental precautions

Environmental precautions : Inform the relevant authorities if it enters sewers, aquatic environment or soil.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).
Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

See chapter
8
and
13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid contact with skin and eyes.
Ensure adequate ventilation.
When using do not eat, drink or smoke.
For personal protection see section 8.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Follow the water regulations. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep only in the original container at temperature not exceeding 50°C.

Further information on storage conditions : Keep away from heat. Keep away from food, drink and animal feedingstuffs. Keep at temperatures between 5°C and 45°C.

7.3 Specific end use(s)

Specific use(s) : Cleaner for professional application in industry and trade

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Amines, alkyldimethyl, N-oxides	Workers	Inhalation	Long-term systemic effects	15.5 mg/m ³
	Workers	Skin contact	Long-term systemic effects	11 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Amines, alkyldimethyl, N-oxides	Fresh water	0.0335 mg/l
	Marine water	0.00335 mg/l
	Intermittent use/release	0.0335 mg/l
	Sewage treatment plant	24 mg/l
	Fresh water sediment	1.14 mg/kg
	Marine sediment	0.114 mg/kg
	Soil	0.906 mg/kg

8.2 Exposure controls

Personal protective equipment

- Eye protection : Face-shield
Safety glasses with side-shields conforming to EN166
- Hand protection
Material : Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374.
- Remarks : The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. The exact break through time can be obtained from the protective glove producer and this has to be observed.
- Skin and body protection : Long sleeved clothing
- Respiratory protection : Use respirator when performing operations involving potential exposure to vapour of the product.
- Protective measures : Follow the skin protection plan.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

- Appearance : liquid
- Colour : yellow
- Odour : mild
- Odour Threshold : No data available
- pH : 8.7 (20 °C)
Concentration: 10 g/l
- Melting point/freezing point : No data available
- Boiling point/boiling range : 100 °C
Method: DIN 51751
- Flash point : > 99 °C
- Evaporation rate : No data available

Version: 2.6

Revision Date: 23.03.2021

Print Date: 24.03.2021

Flammability (solid, gas)	:	No data available
Upper explosion limit	:	No data available
Lower explosion limit	:	No data available
Vapour pressure	:	23 hPa (20 °C) Information taken from reference works and the literature.
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	1.05 g/cm ³ (20 °C) Method: DIN 51757
Solubility(ies)		
Water solubility	:	1,000 g/l completely soluble
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	5 mm ² /s (20 °C)
Flow time	:	< 30 sec. Cross section: 3 mm
Explosive properties	:	No data available
Oxidizing properties	:	No data available

9.2 Other information

Other physico-chemical properties: This information is not available/not determined.

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Version: 2.6

Revision Date: 23.03.2021

Print Date: 24.03.2021

Hazardous reactions : No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid : No decomposition if used as directed.

10.5 Incompatible materials

Materials to avoid : None known.

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

In case of fire hazardous decomposition products may be produced such as:

Carbon dioxide (CO₂)

Carbon monoxide

Smoke

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg
Method: Calculation method

Acute toxicity

Components:

Amines, alkyldimethyl, N-oxides:

Acute oral toxicity : LD50 (Rat): > 300 - 2,000 mg/kg
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 402

Skin corrosion/irritation

Product:

Remarks: Causes skin irritation.

Skin corrosion/irritation

Components:

Isotridecyl alcohol, ethoxylated:

Remarks: Irritating to skin.

Serious eye damage/eye irritation

Product:

Remarks: Causes serious eye damage.

Serious eye damage/eye irritation

Components:

Isotridecyl alcohol, ethoxylated:

Remarks: Severe eye irritation
Risk of serious damage to eyes.

Respiratory or skin sensitisation

Product:

Remarks: No sensitising effects are known.

Respiratory or skin sensitisation

Components:

Isotridecyl alcohol, ethoxylated:

Remarks: No sensitising effects are known.

Germ cell mutagenicity

Product:

Based on available data, the classification criteria are not met.

Carcinogenicity

Product:

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

Reproductive toxicity

Product:

Based on available data, the classification criteria are not met.

STOT - single exposure

Product:

Based on available data, the classification criteria are not met.

STOT - repeated exposure

Product:

Based on available data, the classification criteria are not met.

Aspiration toxicity

Product:

Based on available data, the classification criteria are not met.

Further information

Product:

Remarks: Health injuries are not known or expected under normal use.

SECTION 12: Ecological information

12.1 Toxicity

Product:

Ecotoxicology studies for the product are not available.

Components:

Amines, alkyldimethyl, N-oxides:

Toxicity to fish : LC50 (Pimephales promelas (Fathead minnow)): > 1 - 10 mg/l
Exposure time: 96 h

NOEC (Pimephales promelas (Fathead minnow)): > 0.1 - 1 mg/l
Exposure time: 302 d

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l
aquatic invertebrates : Exposure time: 48 h
Method: OECD Test Guideline 202

NOEC (Daphnia magna (Water flea)): > 0.1 - 1 mg/l
Exposure time: 21 d

Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (green algae)): > 0.1 - 1 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Algae): > 0.01 - 0.1 mg/l
Exposure time: 72 h

M-Factor (Short-term (acute) : 1
aquatic hazard)

12.2 Persistence and degradability

Product:

Biodegradability : Remarks: No data available

Components:

Isotridecyl alcohol, ethoxylated:

Biodegradability : Remarks: rapidly biodegradable
This surfactant complies with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data available

Components:

Isotridecyl alcohol, ethoxylated:

Partition coefficient: n- : Remarks: No data available
octanol/water

12.4 Mobility in soil

Product:

Mobility : Remarks: No data available

Components:

Isotridecyl alcohol, ethoxylated:

Distribution among environ- : Remarks: No data available
mental compartments

Amines, alkyldimethyl, N-oxides:

Distribution among environ- : Medium: Soil
mental compartments Remarks: immobile

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

Components:

Isotridecyl alcohol, ethoxylated:

Assessment : Not applicable.
: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Other adverse effects

Product:

Additional ecological infor- : Do not flush into surface water or sanitary sewer system.
mation

Components:

Isotridecyl alcohol, ethoxylated:

Additional ecological infor- : obviously hazardous to water
mation

Version: 2.6

Revision Date: 23.03.2021

Print Date: 24.03.2021

Do not flush into surface water or sanitary sewer system.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

- Product : Do not let product enter drains.
Do not dispose of with domestic refuse.
Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.
- Contaminated packaging : If recycling is not practicable, dispose of in compliance with local regulations.
Since emptied containers retain product residues (vapour and/or liquid) follow all MSDS/label warnings after container is emptied.
- Waste Code : 07 06 01 : aqueous washing liquids and mother liquors

SECTION 14: Transport information

14.1 UN number

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Refer to protective measures listed in sections 7 and 8.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- Volatile organic compounds : Directive 1999/13/EC on the limitation of emissions of volatile organic compounds
Remarks: no VOC duties
- according to Detergents Regulation EC 648/2004 : 5 % or over but less than 15 %: Non-ionic surfactants
- Other regulations : The product is classified and labelled in accordance with EC directives or respective national laws.

Version: 2.6

Revision Date: 23.03.2021

Print Date: 24.03.2021

Regional or national implementations of GHS may not implement all hazard classes and categories.

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance when it is used in the specified applications.

SECTION 16: Other information

Full text of H-Statements

H302	:	Harmful if swallowed.
H315	:	Causes skin irritation.
H318	:	Causes serious eye damage.
H400	:	Very toxic to aquatic life.
H411	:	Toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox.	:	Acute toxicity
Aquatic Acute	:	Short-term (acute) aquatic hazard
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Eye Dam.	:	Serious eye damage
Skin Irrit.	:	Skin irritation

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Version: 2.6

Revision Date: 23.03.2021

Print Date: 24.03.2021

Further information

Other information

: The information provided is based on our current knowledge and experience and apply to the product as delivered. Regarding the product properties, these are not guaranteed. The delivery of this safety datasheet does not free the recipient of the product from his own responsibility to follow the relevant rules and regulations concerning this product. This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

GB / EN