

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878

**A056-K21 hebro@lan T 93-119**

Version: 2.13

Revision Date: 21.01.2025

Print Date: 22.01.2025

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name : A056-K21 hebro@lan T 93-119

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Cleaner for professional application in industry and trade  
stance/Mixture

### 1.3 Details of the supplier of the safety data sheet

Company : hebro chemie- ZN der Rockwood Specialties Group  
GmbH  
Rostocker Str. 40  
41199 Mönchengladbach

Contact person : Zentrale hebro chemie  
Telephone : +49 (0) 2166 6009-0  
Telefax : +49 (0) 2166 6009-99

Contact person product safety : Abteilung Produktsicherheit  
Telephone : +49(0)2166 6009-311  
E-mail address : msds.de@hebro-chemie.de

### 1.4 Emergency telephone number

: Giftinformationszentrum Erfurt:  
+49 (0) 361 730 730

---

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Skin corrosion, Category 1 H314: Causes severe skin burns and eye damage.

Serious eye damage, Category 1 H318: Causes serious eye damage.

### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Danger

Hazard statements : H314 Causes severe skin burns and eye damage.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878

**A056-K21 hebro®lan T 93-119**



A brand of BASF – we create chemistry

Version: 2.13

Revision Date: 21.01.2025

Print Date: 22.01.2025

Precautionary statements : **Prevention:**

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

**Response:**

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

## Hazardous components which must be listed on the label:

Isotridecanol, ethoxylated (7-<15 EO)  
Potassium Hydroxide

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: This substance/mixture does not contain components considered to have endocrine disrupting properties for environment according to UK REACH Article 57(f).

Toxicological information: This substance/mixture does not contain components considered to have endocrine disrupting properties for human health according to UK REACH Article 57(f).

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Chemical nature : Cleaner of anionic and nonionic tensides, anorganic salts and corrosion protection

#### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Isotridecanol, ethoxylated (7-<15 EO)	69011-36-5 500-241-6	Acute Tox. 4; H302 Eye Dam. 1; H318	>= 3 - < 10
Potassium Hydroxide	1310-58-3 215-181-3	Met. Corr. 1; H290 Acute Tox. 4; H302	>= 3 - < 5

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878

**A056-K21 hebro®lan T 93-119**

Version: 2.13

Revision Date: 21.01.2025

Print Date: 22.01.2025

	01-2119487136-33	Skin Corr. 1A; H314 Eye Dam. 1; H318 <hr/> specific concentration limit Skin Corr. 1A; H314 >= 5 % Skin Corr. 1B; H314 2 - < 5 % Eye Irrit. 2; H319 0.5 - < 2 % Skin Irrit. 2; H315 0.5 - < 2 %	
Hexanoic acid, 6,6',6''-(1,3,5-triazine-2,4,6-triyltriimino)tris-, tripotassium salt	135043-69-5	Skin Irrit. 2; H315 Eye Dam. 2; H319	>= 1 - < 2.5
Amines, alkyldimethyl, N-oxides	61788-90-7 263-016-9	Aquatic Chronic 2; H411 Aquatic Acute 1; H400 <hr/> M-Factor (Acute aquatic toxicity): 1	>= 0.25 - < 1

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

- General advice : First aider needs to protect himself.  
Move out of dangerous area.
- If inhaled : Move to fresh air.  
If symptoms persist, call a physician.
- In case of skin contact : Take off all contaminated clothing immediately.  
After contact with skin, wash immediately with plenty of water.  
If symptoms persist, call a physician.
- In case of eye contact : In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.  
Call a physician immediately.
- If swallowed : Clean mouth with water and drink afterwards plenty of water.  
Do NOT induce vomiting.  
If symptoms persist, call a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

- Risks : Causes serious eye damage.  
Causes severe burns.

### 4.3 Indication of any immediate medical attention and special treatment needed

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878

**A056-K21 hebro®/lan T 93-119**

Version: 2.13

Revision Date: 21.01.2025

Print Date: 22.01.2025

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry powder  
Water spray jet

Unsuitable extinguishing media : High volume water jet

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : The product is not flammable.

### 5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire and/or explosion do not breathe fumes.  
Wear self-contained breathing apparatus for firefighting if necessary.

Specific extinguishing methods : Use water spray to cool unopened containers.

Further information : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Wear suitable protective clothing, gloves and eye/face protection.

### 6.2 Environmental precautions

Environmental precautions : Inform the relevant authorities if it enters sewers, aquatic environment or soil.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).  
Keep in suitable, closed containers for disposal.  
Suitable material for dilution or neutralization

### 6.4 Reference to other sections

Refer to protective measures listed in sections 7 and 8., For disposal considerations see section 13.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878

**A056-K21 hebro®lan T 93-119**



A brand of BASF – we create chemistry

Version: 2.13

Revision Date: 21.01.2025

Print Date: 22.01.2025

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advice on safe handling : Provide sufficient air exchange and/or exhaust in work rooms.  
Have eye wash bottle or eye rinse ready at the work place.  
Avoid contact with skin and eyes.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep in a well-ventilated place.

Further information on storage conditions : Keep only in the original container in a cool, well-ventilated place. Protect from frost.

Advice on common storage : Do not store together with acids and ammonium salts.

Recommended storage temperature : 5 - 40 °C

### 7.3 Specific end use(s)

Specific use(s) : Cleaner for professional application in industry and trade

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Potassium Hydroxide	1310-58-3	STEL	2 mg/m <sup>3</sup>	GB EH40

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006

Substance name	End Use	Exposure routes	Potential health effects	Value
Pentapotassium triphosphate	Workers	Inhalation	Long-term systemic effects	5.29 mg/m <sup>3</sup>
Potassium Hydroxide	Workers	Inhalation	Long-term local effects	1 mg/m <sup>3</sup>
Amines, alkyldimethyl, N-oxides	Workers	Inhalation	Long-term systemic effects	15.5 mg/m <sup>3</sup>
	Workers	Skin contact	Long-term systemic effects	11 mg/kg bw/day

#### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006

Substance name	Environmental Compartment	Value
Pentapotassium triphosphate	Fresh water	0.05 mg/l

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878

**A056-K21 hebro®lan T 93-119**



A brand of BASF – we create chemistry

Version: 2.13

Revision Date: 21.01.2025

Print Date: 22.01.2025

	Marine water	0.005 mg/l
	Sewage treatment plant	50 mg/l
Amines, alkyldimethyl, N-oxides	Fresh water	0.0335 mg/l
	Marine water	0.00335 mg/l
	Intermittent use/release	0.0335 mg/l
	Sewage treatment plant	24 mg/l
	Fresh water sediment	1.14 mg/kg
	Marine sediment	0.114 mg/kg
	Soil	0.906 mg/kg

## 8.2 Exposure controls

### Personal protective equipment

Eye/face protection : Safety glasses with side-shields conforming to EN166  
Face-shield

### Hand protection

Material : Protective gloves complying with EN 374.  
Break through time : > 60 min  
Protective index : Class 3

Material : Nitrile rubber  
Glove thickness : 0.4 mm

Material : butyl-rubber  
Glove thickness : 0.5 mm

Remarks : The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. The exact break through time can be obtained from the protective glove producer and this has to be observed.

Skin and body protection : Chemical resistant protective clothing according to DIN EN 13034 (Type 6)  
Long sleeved clothing  
Chemical resistant apron

Respiratory protection : Breathing apparatus needed only when aerosol or mist is formed.

Filter type : Combined particulates, ammonia/amines, inorganic gas/vapour and organic vapour type (ABK-P)

Protective measures : When using do not eat, drink or smoke.  
Wash hands before breaks and at the end of workday.  
Follow the skin protection plan.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state : liquid

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878

**A056-K21 hebro®lan T 93-119**

Version: 2.13

Revision Date: 21.01.2025

Print Date: 22.01.2025

---

Colour	:	yellow
Odour	:	odourless
Melting point/freezing point	:	not determined
Boiling point/boiling range	:	100 °C Method: DIN 51751
Upper explosion limit / Upper flammability limit	:	not determined
Lower explosion limit / Lower flammability limit	:	0.8 %(V)
Flash point	:	Not applicable
Auto-ignition temperature	:	not determined
pH	:	11.8 (20 °C) Concentration: 10 g/l
Viscosity Viscosity, kinematic	:	similar to water
Solubility(ies) Water solubility	:	1,000 g/l completely soluble
Partition coefficient: n-octanol/water	:	Not applicable
Vapour pressure	:	23 hPa (20 °C) Information taken from reference works and the literature.
Density	:	1.14 g/cm <sup>3</sup> (20 °C) Method: DIN 51757
Relative vapour density	:	not determined

## 9.2 Other information

Explosives : Vapours may form explosive mixture with air.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878

**A056-K21 hebro®/lan T 93-119**

Version: 2.13

Revision Date: 21.01.2025

Print Date: 22.01.2025

Substances and mixtures,  
which in contact with water,  
emit flammable gases : No data available

Metal corrosion rate : Not corrosive to metals

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

### 10.2 Chemical stability

Stable at normal ambient temperature and pressure.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : Exothermic reaction with strong acids.

### 10.4 Conditions to avoid

Conditions to avoid : Product is stable under appropriate usage.

### 10.5 Incompatible materials

Materials to avoid : Acids

### 10.6 Hazardous decomposition products

---

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Not classified due to lack of data.

#### Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg  
Method: Calculation method

#### Components:

##### Potassium Hydroxide:

Acute oral toxicity : LD50 (Rat): 333 mg/kg

##### Amines, alkyldimethyl, N-oxides:

Acute oral toxicity : LD50 (Rat): > 300 - 2,000 mg/kg  
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 402



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878

**A056-K21 hebro®lan T 93-119**

Version: 2.13

Revision Date: 21.01.2025

Print Date: 22.01.2025

## **Skin corrosion/irritation**

Causes severe burns.

## **Serious eye damage/eye irritation**

Causes serious eye damage.

## **Respiratory or skin sensitisation**

### **Skin sensitisation**

Not classified due to lack of data.

### **Respiratory sensitisation**

Not classified due to lack of data.

### **Germ cell mutagenicity**

Not classified due to lack of data.

### **Carcinogenicity**

Based on available data, the classification criteria are not met.

#### **Product:**

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

### **Reproductive toxicity**

Not classified due to lack of data.

### **STOT - single exposure**

Not classified due to lack of data.

### **STOT - repeated exposure**

Not classified due to lack of data.

### **Aspiration toxicity**

Not classified due to lack of data.

## **11.2 Information on other hazards**

### **Endocrine disrupting properties**

#### **Product:**

Assessment : This substance/mixture does not contain components considered to have endocrine disrupting properties for human health according to UK REACH Article 57(f),

---

## **SECTION 12: Ecological information**

### **12.1 Toxicity**

#### **Components:**

##### **Potassium Hydroxide:**

Toxicity to fish : LC50 (Fish): 28.6 mg/l  
Exposure time: 24 h  
Method: OECD Test Guideline 203

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878

**A056-K21 hebro®lan T 93-119**

Version: 2.13

Revision Date: 21.01.2025

Print Date: 22.01.2025

LC50 (*Gambusia affinis* (Mosquito fish)): 80 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (*Daphnia* (water flea)): > 100 mg/l  
aquatic invertebrates : Method: OECD Test Guideline 202

### **Amines, alkyldimethyl, N-oxides:**

Toxicity to fish : LC50 (*Pimephales promelas* (Fathead minnow)): > 1 - 10 mg/l  
Exposure time: 96 h

NOEC (*Pimephales promelas* (Fathead minnow)): > 0.1 - 1  
mg/l  
Exposure time: 302 d

Toxicity to daphnia and other : EC50 (*Daphnia magna* (Water flea)): > 1 - 10 mg/l  
aquatic invertebrates : Exposure time: 48 h  
Method: OECD Test Guideline 202

NOEC (*Daphnia magna* (Water flea)): > 0.1 - 1 mg/l  
Exposure time: 21 d

Toxicity to algae/aquatic : EC50 (*Pseudokirchneriella subcapitata* (green algae)): > 0.1 -  
plants : 1 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Algae): > 0.01 - 0.1 mg/l  
Exposure time: 72 h

M-Factor (Acute aquatic tox- : 1  
icity)

## **12.2 Persistence and degradability**

### **Product:**

Biodegradability : Remarks: The surfactant(s) contained in this mixture complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

## **12.3 Bioaccumulative potential**

### **Product:**

Bioaccumulation : Remarks: No data available

## **12.4 Mobility in soil**

### **Product:**

Mobility : Remarks: No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878

**A056-K21 hebro@lan T 93-119**

Version: 2.13

Revision Date: 21.01.2025

Print Date: 22.01.2025

## Components:

### **Amines, alkyldimethyl, N-oxides:**

Distribution among environ- : Medium: Soil  
mental compartments        Remarks: immobile

## **12.5 Results of PBT and vPvB assessment**

### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## **12.6 Endocrine disrupting properties**

### Product:

Assessment : This substance/mixture does not contain components considered to have endocrine disrupting properties for environment according to UK REACH Article 57(f).

## **12.7 Other adverse effects**

### Product:

Additional ecological infor- : Do not flush into surface water or sanitary sewer system.  
mation                                Avoid subsoil penetration.

---

## **SECTION 13: Disposal considerations**

### **13.1 Waste treatment methods**

Product : Do not let product enter drains.  
Do not dispose of with domestic refuse.  
Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

Contaminated packaging : Dispose of in accordance with local regulations.

Waste Code : Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

---

## **SECTION 14: Transport information**

### **14.1 UN number or ID number**

ADR : UN 1760  
RID : UN 1760  
IMDG : UN 1760  
IATA : UN 1760

### **14.2 UN proper shipping name**

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878

**A056-K21 hebro@lan T 93-119**

Version: 2.13

Revision Date: 21.01.2025

Print Date: 22.01.2025

**ADR** : CORROSIVE LIQUID, N.O.S.  
(Potassium Hydroxide)

**RID** : CORROSIVE LIQUID, N.O.S.  
(Potassium Hydroxide)

**IMDG** : CORROSIVE LIQUID, N.O.S.  
(Potassium Hydroxide)

**IATA** : Corrosive liquid, n.o.s.  
(Potassium Hydroxide)

## 14.3 Transport hazard class(es)

	Class	Subsidiary risks
<b>ADR</b>	: 8	
<b>RID</b>	: 8	
<b>IMDG</b>	: 8	
<b>IATA</b>	: 8	

## 14.4 Packing group

**ADR**  
Packing group : II  
Classification Code : C9  
Hazard Identification Number : 80  
Labels : 8  
Tunnel restriction code : (E)

**RID**  
Packing group : II  
Classification Code : C9  
Hazard Identification Number : 80  
Labels : 8

**IMDG**  
Packing group : II  
Labels : 8  
EmS Code : F-A, S-B  
Remarks : Alkalis, Clear of living quarters.

### IATA (Cargo)

Packing instruction (cargo aircraft) : 855  
Packing instruction (LQ) : Y840  
Packing group : II  
Labels : Corrosives

### IATA\_P (Passenger)

Packing instruction (passenger aircraft) : 851  
Packing instruction (LQ) : Y840  
Packing group : II  
Labels : Corrosives

## 14.5 Environmental hazards

**ADR**

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878

**A056-K21 hebro@lan T 93-119**



Version: 2.13

Revision Date: 21.01.2025

Print Date: 22.01.2025

Environmentally hazardous : no

## **RID**

Environmentally hazardous : no

## **IMDG**

Marine pollutant : no

### **14.6 Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### **14.7 Maritime transport in bulk according to IMO instruments**

Not applicable for product as supplied.

---

## **SECTION 15: Regulatory information**

### **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17)	: Conditions of restriction for the following entries should be considered: Number on list 3
UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation	: Not applicable
The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain)	: Not applicable
Regulation (EC) on substances that deplete the ozone layer	: Not applicable
UK REACH List of substances subject to authorisation (Annex XIV)	: Not applicable
GB Export and import of hazardous chemicals - Prior Informed Consent (PIC) Regulation	: Not applicable

#### **Other regulations:**

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to new and expectant mothers at work contained in Regulation 16 to 18) and of the Pregnant Workers Directive 92/85/EEC.

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to protection of young people at work contained in Regulation 19) and of Directive 94/33/EC on the protection of young people at work.

### **15.2 Chemical safety assessment**

A Chemical Safety Assessment is not required for this substance.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878

**A056-K21 hebro®lan T 93-119**



A brand of BASF – we create chemistry

Version: 2.13

Revision Date: 21.01.2025

Print Date: 22.01.2025

## SECTION 16: Other information

### Full text of H-Statements

H290	: May be corrosive to metals.
H302	: Harmful if swallowed.
H314	: Causes severe skin burns and eye damage.
H315	: Causes skin irritation.
H318	: Causes serious eye damage.
H319	: Causes serious eye irritation.
H400	: Very toxic to aquatic life.
H411	: Toxic to aquatic life with long lasting effects.

### Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Eye Dam.	: Serious eye damage
Met. Corr.	: Corrosive to metals
Skin Corr.	: Skin corrosion
Skin Irrit.	: Skin irritation
GB EH40	: UK. EH40 WEL - Workplace Exposure Limits
GB EH40 / STEL	: Short-term exposure limit (15-minute reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878

**A056-K21 hebro®lan T 93-119**



Version: 2.13

Revision Date: 21.01.2025

Print Date: 22.01.2025

- Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

## Further information

Other information

: The information provided is based on our current knowledge and experience and apply to the product as delivered. Regarding the product properties, these are not guaranteed. The delivery of this safety datasheet does not free the recipient of the product from his own responsibility to follow the relevant rules and regulations concerning this product.

The product is classified and labelled in accordance with EC directives or respective national laws.

Regional or national implementations of GHS may not implement all hazard classes and categories.

Guideline on the Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment (RoHS) : no component is listed

No PFAS are consciously added to the product concerning the restriction proposal for inclusion to REACH (Annex XVII).

## Classification of the mixture:

Skin Corr. 1 H314

Eye Dam. 1 H318

## Classification procedure:

Based on product data or assessment

Based on product data or assessment

GB / EN