

Version: 1.24	Revision Date: 21.08.2024	Print Date: 22.08.2024
SECTION 1: Identification of the	substance/mixture and of the	company/undertaking
1.1 Product identifier		
Trade name :	A109-K21 hebro®lan SRA 100	
1.2 Relevant identified uses of the s	ubstance or mixture and uses ad	lvised against
Use of the Sub- : stance/Mixture	Cleaner for professional application	on in industry and trade
1.3 Details of the supplier of the saf	ety data sheet	
Company	: hebro chemie- ZN der Ro GmbH Rostocker Str. 40 41199 Mönchengladbach	
Contact person	: Zentrale hebro chemie	
Telephone	: +49 (0) 2166 6009-0	
Telefax	: +49 (0) 2166 6009-99	
Contact person product safety Telephone E-mail address	Abteilung Produktsicherhe : +49(0)2166 6009-311 : msds.de@hebro-chemie.	
1.4 Emergency telephone number		
		- <b>/</b> /

: Giftinformationszentrum Erfurt: +49 (0) 361 730 730

# **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Corrosive to metals, Category 1	H290: May be corrosive to metals.
Skin corrosion, Category 1	H314: Causes severe skin burns and eye damage.
Serious eye damage, Category 1	H318: Causes serious eye damage.

#### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word

: Danger

#### SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 A109-K21 hebro®lan SRA 100



Version: 1.24		Revision Date: 21.08.2024		Print Date: 22.08.2024
Hazard statements	:	H290 H314	May be corrosive to meta Causes severe skin burr	
Precautionary statements	:	Prevention P280	Wear protective gloves/	
		Response:		
		P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.		
		P303 + P36	61 + P353 IF ON SKIN ( ately all contaminated clo water.	,
		P304 + P34	40 + P310 IF INHALED: air and keep comfortable ately call a POISON CEN	e for breathing. Immedi-
		P305 + P35	51 + P338 + P310 IF IN with water for several mi lenses, if present and ea	EYES: Rinse cautiously nutes. Remove contact
		P390	Absorb spillage to preve	

#### Hazardous components which must be listed on the label:

Potassium Hydroxide dipotassium octylphosphonate

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: This substance/mixture does not contain components considered to have endocrine disrupting properties for environment according to UK REACH Article 57(f).

Toxicological information: This substance/mixture does not contain components considered to have endocrine disrupting properties for human health according to UK REACH Article 57(f),

#### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		· · /
	Registration number		
Tetrapotassium pyrophosphate	7320-34-5	Acute Tox. 4; H332	>= 10 - < 25
	230-785-7		
	01-2119489369-18		
Potassium Hydroxide	1310-58-3	Acute Tox. 4; H302	>= 10 - < 25
	215-181-3	Skin Corr. 1A; H314	
	01-2119487136-33	Eye Dam. 1; H318	
		specific concentration	

#### SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 A109-K21 hebro®lan SRA 100



Revision Date: 21.08.2024 Print Date: 22.08.2024 Version: 1.24 limit Skin Corr. 1A; H314 >= 5 % Skin Corr. 1B; H314 2 - < 5 % Eye Irrit. 2; H319 0.5 - < 2 % Skin Irrit. 2; H315 0.5 - < 2 % Acute Tox. 4; H302 dipotassium octylphosphonate 38225-48-8 >= 1 - < 2.5 253-837-0 Skin Corr. 1; H314 STOT RE 2; H373

For explanation of abbreviations see section 16.

# **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General advice	:	First aider needs to protect himself. Move out of dangerous area.
If inhaled	:	Move to fresh air. If symptoms persist, call a physician.
In case of skin contact	:	Take off all contaminated clothing immediately. After contact with skin, wash immediately with plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	In case of eye contact, remove contact lens and rinse imme- diately with plenty of water, also under the eyelids, for at least 15 minutes. Call a physician immediately.
If swallowed	:	Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting. If symptoms persist, call a physician.
Moot important overstame on	م ام	offecte both coute and deleved

#### 4.2 Most important symptoms and effects, both acute and delayed

Risks	: Causes serious eye damage
	Causes severe burns.

#### 4.3 Indication of any immediate medical attention and special treatment needed

# **SECTION 5: Firefighting measures**

5.1 Extinguishing media		
Suitable extinguishing media	:	Alcohol-resistant foam Carbon dioxide (CO2) Dry powder Water spray jet
Unsuitable extinguishing	:	High volume water jet



Version: 1.24		Revision Date: 21.08.2024	Print Date: 22.08.2024
media			
5.2 Special hazards arising from	the	e substance or mixture	
Specific hazards during fire- fighting	:	The product is not flammable.	
5.3 Advice for firefighters			
Special protective equipment for firefighters	:	In the event of fire and/or explosion Wear self-contained breathing apparessary.	
Specific extinguishing meth- ods	:	Use water spray to cool unopened	containers.
Further information	:	Fire residues and contaminated fire be disposed of in accordance with	5 5

# **SECTION 6:** Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Wear suitable protective clothing, gloves and eye/face p tion.	protec-
--	---------

#### 6.2 Environmental precautions

Environmental precautions	:	Inform the relevant authorities if it enters sewers, aquatic envi-
		ronment or soil.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal. Suitable material for dilution or neutralization
-------------------------	---	---

#### 6.4 Reference to other sections

Refer to protective measures listed in sections 7 and 8., For disposal considerations see section 13.

#### **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling Advice on safe handling Provide sufficient air exchange and/or exhaust in work rooms. Have eye wash bottle or eye rinse ready at the work place. Avoid contact with skin and eyes. Advice on protection against fire and explosion Normal measures for preventive fire protection.



Version: 1.24		Revision Date: 21.08.2024 Print Date: 22.08			
7.2 Conditions for safe storage, including any incompatibilities					
Requirements for storage areas and containers	:	Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep in a well-ventilated place.			
Further information on stor- age conditions	:	Keep only in the original container place. Protect from frost.	in a cool, well-ventilated		
Advice on common storage	:	Do not store together with acids an	d ammonium salts.		
Recommended storage tem- perature	:	5 - 35 °C			
7.3 Specific end use(s) Specific use(s)	:	Cleaner for professional application	n in industry and trade		

# **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Potassium Hydrox- ide	1310-58-3	STEL	2 mg/m3	GB EH40

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006

Substance name	End Use	Exposure routes	Potential health ef- fects	Value
Potassium Hydroxide	Workers	Inhalation	Long-term local ef- fects	1 mg/m3
Tetrapotassium pyro- phosphate	Workers	Inhalation	Long-term systemic effects	2.79 mg/m3

#### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006

Substance name	Environmental Compartment	Value
Tetrapotassium pyrophosphate	Fresh water	0.05 mg/l
	Marine water	0.005 mg/l
	Sewage treatment plant	50 mg/l

#### 8.2 Exposure controls

#### Personal protective equipment

Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Face-shield
Hand protection		
Material	:	Protective gloves complying with EN 374.
Break through time	:	> 60 min
Protective index	:	Class 3
Material	:	Nitrile rubber
Glove thickness	:	0.4 mm



Version: 1.24		Revision Date: 21.08.2024	Print Date: 22.08.2024
Material Glove thickness	:	butyl-rubber 0.5 mm	
Remarks	:	The choice of an appropriate glove of its material but also on other quality from one producer to the other. The can be obtained from the protective has to be observed.	features and is different exact break through time
Skin and body protection	:	Chemical resistant protective clothin 13034 (Type 6) Long sleeved clothing Chemical resistant apron	g according to DIN EN
Respiratory protection	:	Breathing apparatus needed only wh formed.	nen aerosol or mist is
Filter type	:	Combined particulates, ammonia/am gas/vapour and organic vapour type	
Protective measures	:	When using do not eat, drink or smo Wash hands before breaks and at th Follow the skin protection plan.	

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Colour	:	yellow
Odour	:	mild
Melting point/freezing point	:	not determined
Upper explosion limit / Upper flammability limit	:	not determined
Lower explosion limit / Lower flammability limit	:	not determined
Auto-ignition temperature	:	not determined
рН	:	12.5 (20 °C) Concentration: 10 g/l

# SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 A109-K21 hebro®lan SRA 100



Version: 1.24		Revision Date: 21.08.2024	Print Date: 22.08.2024
Viscosity Viscosity, kinematic	:	similar to water	
Solubility(ies) Water solubility	:	completely soluble	
Partition coefficient: n- octanol/water	:	Not applicable	
Vapour pressure	:	not determined	
Density	:	1.44 g/cm³ (20 °C) Method: DIN 51757	
Relative vapour density	:	not determined	
9.2 Other information			
Explosives	:	No data available	
Metal corrosion rate	:	Corrosive to metals	

# **SECTION 10: Stability and reactivity**

10.1	Reactivity		
	No dangerous reaction known	n unc	ler conditions of normal use.
10.2	Chemical stability		
	Stable at normal ambient tem	pera	ture and pressure.
10.3	Possibility of hazardous rea	actio	ns
	Hazardous reactions	:	Exothermic reaction with strong acids.
10.4	Conditions to avoid		
	Conditions to avoid	:	Product is stable under appropriate usage.
10.5	Incompatible materials		
	Materials to avoid	:	Acids
10.6	Hazardous decomposition	prod	ucts



Version: 1.24		Revision Date: 21.08.2024	Print Date: 22.08.2024
SECTION 11: Toxicological	info	ormation	
11.1 Information on hazard cla	asse	s as defined in Regulation (EC) No	0 1272/2008
Acute toxicity Not classified due to lack o	f data	a.	
Product:			
Acute oral toxicity	:	Acute toxicity estimate: > 2,000 m Method: Calculation method	ng/kg
Acute inhalation toxicity	:	Acute toxicity estimate: > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method	
Components:			
Tetrapotassium pyrophos	spha	te:	
Acute oral toxicity	-	LD50 (Rat, male): 2,440 mg/kg	
Acute inhalation toxicity	:	LC50 (Rat): > 1.1 mg/l Exposure time: 4 h Test atmosphere: dust/mist	
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg Method: OECD Test Guideline 40	)2
Potassium Hydroxide:			
Acute oral toxicity	:	LD50 (Rat): 333 mg/kg	
Skin corrosion/irritation Causes severe burns.			
<b>Serious eye damage/eye</b> Causes serious eye damag		tion	
Respiratory or skin sensi	tisati	ion	
Skin sensitisation Not classified due to lack o	f data	а.	
Respiratory sensitisation Not classified due to lack o		a.	
Germ cell mutagenicity Not classified due to lack o	f data	а.	
Carcinogenicity		ssification critoria are not mot	
	ie cia	ssification criteria are not met.	
Product: Carcinogenicity - Assess-	:	Not classifiable as a human carci	nogen.

ment



Print Date: 22.08.2024

 Reproductive toxicity

 Not classified due to lack of data.

 STOT - single exposure

 Not classified due to lack of data.

 STOT - repeated exposure

 Not classified due to lack of data.

 Aspiration toxicity

 Not classified due to lack of data.

 11.2 Information on other hazards

Revision Date: 21.08.2024

# Endocrine disrupting properties

# Product:

Version: 1.24

Assessment

: This substance/mixture does not contain components considered to have endocrine disrupting properties for human health according to UK REACH Article 57(f),

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

Components:		
Tetrapotassium pyrophosph	nate	:
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 96 h Test Type: semi-static test Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	(Desmodesmus subspicatus): > 100 mg/l Exposure time: 72 h Test Type: Growth inhibition Method: OECD Test Guideline 201
Toxicity to microorganisms	:	EC50 (Bacteria): > 1,000 mg/l Exposure time: 3 h
Potassium Hydroxide:		
Toxicity to fish	:	LC50 (Fish): 28.6 mg/l Exposure time: 24 h Method: OECD Test Guideline 203
		LC50 (Gambusia affinis (Mosquito fish)): 80 mg/l Exposure time: 96 h



Version: 1.24		Revision Date: 21.08.2024	Print Date: 22.08.2024
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia (water flea)): > 100 mg Method: OECD Test Guideline 202	g/I
12.2 Persistence and degradabilit	ty		
<u>Product:</u> Biodegradability	:	Remarks: No data available	
12.3 Bioaccumulative potential			
Product: Bioaccumulation	:	Remarks: No data available	
12.4 Mobility in soil			
<u>Product:</u> Mobility	:	Remarks: No data available	
12.5 Results of PBT and vPvB as	se	ssment	
Product:			
Assessment	:	This substance/mixture contains no co to be either persistent, bioaccumulativ very persistent and very bioaccumulat 0.1% or higher.	e and toxic (PBT), or
12.6 Endocrine disrupting proper	tie	S	
Product:			
Assessment	:	This substance/mixture does not conta ered to have endocrine disrupting prop according to UK REACH Article 57(f).	
12.7 Other adverse effects			
Product:			
Additional ecological infor- mation	:	Do not flush into surface water or sani Avoid subsoil penetration.	tary sewer system.
SECTION 13: Disposal conside	era	ations	
13.1 Waste treatment methods			
Product	:	Do not let product enter drains.	

Product	<ul> <li>Do not let product enter drains.</li> <li>Do not dispose of with domestic refuse.</li> <li>Waste codes should be assigned by the user, preferably i discussion with the waste disposal authorities.</li> </ul>	in
Contaminated packaging	: Dispose of in accordance with local regulations.	
Waste Code	: Waste codes should be assigned by the user, preferably i	in



 Version: 1.24
 Revision Date: 21.08.2024
 Print Date: 22.08.2024

discussion with the waste disposal authorities.

# **SECTION 14: Transport information**

#### 14.1 UN number or ID number

ADR	:	UN 1760
RID	:	UN 1760
IMDG	:	UN 1760
ΙΑΤΑ	:	UN 1760
14.2 UN proper shipping name		
ADR	:	CORROSIVE LIQUID, N.O.S. (Potassium Hydroxide)
RID	:	CORROSIVE LIQUID, N.O.S. (Potassium Hydroxide)
IMDG	:	CORROSIVE LIQUID, N.O.S. (Potassium Hydroxide)
ΙΑΤΑ	:	Corrosive liquid, n.o.s. (Potassium Hydroxide)
14.3 Transport hazard class(es	)	

		Class	Subsidiary risks
ADR	:	8	
RID	:	8	
IMDG	:	8	
ΙΑΤΑ	:	8	
14.4 Packing group			
ADR Packing group Classification Code Hazard Identification Number Labels Tunnel restriction code RID	:	II C9 80 8 (E)	
Packing group Classification Code Hazard Identification Number Labels	:	II C9 80 8	
<b>IMDG</b> Packing group Labels EmS Code Remarks	:	II 8 F-A, S-B Alkalis, Clear of living	quarters.

IATA (Cargo)



Version: 1.24		Revision Date: 21.08.2024	Print Date: 22.08.2024
Packing instruction (cargo aircraft)	:	855	
Packing instruction (LQ)	:	Y840	
Packing group	:	II	
Labels	:	Corrosives	
IATA_P (Passenger)			
Packing instruction (passen- ger aircraft)	:	851	
Packing instruction (LQ)	:	Y840	
Packing group	:	II	
Labels	:	Corrosives	
14.5 Environmental hazards			
ADR			
Environmentally hazardous	:	no	
RID			
Environmentally hazardous	:	no	
IMDG			

#### 14.6 Special precautions for user

Marine pollutant

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### 14.7 Maritime transport in bulk according to IMO instruments

: no

Not applicable for product as supplied.

# **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17)	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 3
UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation	:	Not applicable
The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain)	:	Not applicable
Regulation (EC) on substances that deplete the ozone layer	:	Not applicable
UK REACH List of substances subject to authorisation (Annex XIV)	:	Not applicable
GB Export and import of hazardous chemicals - Prior Informed Consent (PIC) Regulation	:	Not applicable



Version: 1.24

Revision Date: 21.08.2024

Print Date: 22.08.2024

#### 15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance.

#### **SECTION 16: Other information**

#### Full text of H-Statements

H302:Harmful if swallowed.H314:Causes severe skin burns and eye damage.H318:Causes serious eye damage.H332:Harmful if inhaled.H373:May cause damage to organs through prolonged or repeate exposure.
---

#### Full text of other abbreviations

Eye Dam. Skin Corr. STOT RE	:	Acute toxicity Serious eye damage Skin corrosion Specific target organ toxicity - repeated exposure UK. EH40 WEL - Workplace Exposure Limits
GB EH40	:	UK. EH40 WEL - Workplace Exposure Limits
GB EH40 / STEL	:	Short-term exposure limit (15-minute reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA



#### Version: 1.24

Revision Date: 21.08.2024

Print Date: 22.08.2024

- Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### **Further information**

Other information : The information provided is based on our current knowledge and experience and apply to the product as delivered. Regarding the product properties, these are not guaranteed. The delivery of this safety datasheet does not free the recipient of the product from his own responsibility to follow the relevant rules and regulations concerning this product. This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

Classification of the mixture:		Classification procedure:		
Met. Corr. 1	H290	Based on product data or assessment		
Skin Corr. 1	H314	Based on product data or assessment		
Eye Dam. 1	H318	Based on product data or assessment		

GB / EN