according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



B029-K60 hebro®ÖkoClean RS

Version: 2.15 Revision Date: 23.01.2025 Print Date: 24.01.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : B029-K60 hebro®ÖkoClean RS

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Cleaner for professional application in industry and trade

stance/Mixture

Contact person

Telephone Telefax

1.3 Details of the supplier of the safety data sheet

Company : hebro chemie- ZN der Rockwood Specialties Group

GmbH

Rostocker Str. 40

41199 Mönchengladbach : Zentrale hebro chemie : +49 (0) 2166 6009-0 : +49 (0) 2166 6009-99

Contact person product safety
Telephone

E-mail address

Abteilung Produktsicherheit
+49(0)2166 6009-311

msds.de@hebro-chemie.de

1.4 Emergency telephone number

: Giftinformationszentrum Erfurt:

+49 (0) 361 730 730

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Corrosive to metals, Category 1 H290: May be corrosive to metals.

Eye irritation, Category 2 H319: Causes serious eye irritation.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word : Warning

Hazard statements : H290 May be corrosive to metals.

H319 Causes serious eye irritation.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



B029-K60 hebro®ÖkoClean RS

Version: 2.15 Revision Date: 23.01.2025 Print Date: 24.01.2025

Precautionary statements : Prevention:

P234 Keep only in original packaging.
P264 Wash skin thoroughly after handling.
P280 Wear eye protection/ face protection.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with wa-

ter for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/

attention.

P390 Absorb spillage to prevent material damage.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: This substance/mixture does not contain components considered to have endocrine disrupting properties for environment according to UK REACH Article 57(f).

Toxicological information: This substance/mixture does not contain components considered to have endocrine disrupting properties for human health according to UK REACH Article 57(f),

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Water based acid cleaner with anionic and nonionic surfac-

tants.

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		
	Registration number		
Citric acid	77-92-9	Eye Irrit. 2; H319	>= 10 - < 25
	201-069-1		
	01-2119457026-42		
Dibutyl hydrogen phosphate	107-66-4	Skin Corr. 1A; H314	>= 0.1 - < 1
	203-509-8	Carc. 2; H351	
	01-2119974583-26		

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : If symptoms persist, call a physician.

If inhaled : No information available.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



B029-K60 hebro®ÖkoClean RS

Version: 2.15 Revision Date: 23.01.2025 Print Date: 24.01.2025

In case of skin contact After contact with skin, wash immediately with plenty of water.

Take off all contaminated clothing immediately.

In case of eye contact In case of eye contact, remove contact lens and rinse imme-

diately with plenty of water, also under the eyelids, for at least

15 minutes.

Seek medical treatment when symptoms develop due to con-

tact with eyes.

Immediately give large quantities of water to drink. If swallowed

Prevent vomiting if possible.

4.2 Most important symptoms and effects, both acute and delayed

Risks Causes serious eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Alcohol-resistant foam

Carbon dioxide (CO2)

Dry powder Water spray jet

Unsuitable extinguishing

media

High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Combustion may cause:

Hazardous combustion prod- : Carbon oxides

5.3 Advice for firefighters

Special protective equipment :

for firefighters

Wear self-contained breathing apparatus for firefighting if nec-

essary.

Further information Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions Handle in accordance with good industrial hygiene and safety

practice.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

B029-K60 hebro®ÖkoClean RS

Version: 2.15 Revision Date: 23.01.2025 Print Date: 24.01.2025

6.2 Environmental precautions

Environmental precautions Inform the relevant authorities if it enters sewers, aquatic envi-

ronment or soil.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up Contain spillage, soak up with non-combustible absorbent

material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local /

national regulations (see section 13).

Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

Refer to protective measures listed in sections 7 and 8., For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling Avoid contact with skin and eyes.

> Ensure adequate ventilation. Avoid formation of aerosol.

For personal protection see section 8.

Advice on protection against :

fire and explosion

Normal measures for preventive fire protection.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage

areas and containers

Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep only in the original con-

tainer at temperature not exceeding 50°C.

Further information on stor-

age conditions

Protect from frost, heat and sunlight.

7.3 Specific end use(s)

Specific use(s) Cleaner for professional application in industry and trade

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Dibutyl hydrogen phosphate	107-66-4	STEL	2 ppm 17 mg/m3	GB EH40
		TWA	1 ppm 8.7 mg/m3	GB EH40

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



B029-K60 hebro®ÖkoClean RS

Version: 2.15 Revision Date: 23.01.2025 Print Date: 24.01.2025

Substance name	End Use	Exposure routes	Potential health effects	Value
Monobasic sodium phosphate	Workers	Inhalation	Long-term systemic effects	4.07 mg/m3

8.2 Exposure controls

Personal protective equipment

Eye/face protection : Face-shield

Safety glasses with side-shields conforming to EN166

Hand protection

Material : Protective gloves complying with EN 374.

Break through time : > 480 min Protective index : Class 6

Material : Nitrile rubber Glove thickness : 0.4 mm

Material : butyl-rubber Glove thickness : 0.5 mm

Remarks : The choice of an appropriate glove does not only depend on

its material but also on other quality features and is different from one producer to the other. The exact break through time can be obtained from the protective glove producer and this

has to be observed.

Skin and body protection : Chemical resistant protective clothing according to DIN EN

13034 (Type 6)

Work uniform or laboratory coat.

Respiratory protection : If product forms vapours or aerosols wear breathing protec-

tion.

Filter type : ABEK-filter

Protective measures : When using do not eat, drink or smoke.

Wash hands before breaks and at the end of workday.

Follow the skin protection plan.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : liquid

Colour : colourless

Odour : aromatic

Melting point/freezing point : not determined

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



B029-K60 hebro®ÖkoClean RS

Version: 2.15 Revision Date: 23.01.2025 Print Date: 24.01.2025

Boiling point/boiling range : 100 °C

Method: DIN 51751

Upper explosion limit / Upper

flammability limit

not determined

Lower explosion limit / Lower

flammability limit

not determined

Flash point : > 99 °C

Auto-ignition temperature : not determined

pH : 2.5 (20 °C)

(undiluted)

Viscosity

Viscosity, kinematic : similar to water

Flow time : < 30 sec.

Cross section: 3 mm

Solubility(ies)

Water solubility : completely soluble

Partition coefficient: n-

octanol/water

Not applicable

Vapour pressure : 23 hPa (20 °C)

Information taken from reference works and the literature.

Density : 1.11 g/cm³ (20 °C)

Method: DIN 51757

Relative vapour density : not determined

9.2 Other information

Explosives : No data available

Substances and mixtures, which in contact with water, emit flammable gases

No data available

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

hebro chemie A brand of BASE – we create chemistry

B029-K60 hebro®ÖkoClean RS

Version: 2.15 Revision Date: 23.01.2025 Print Date: 24.01.2025

Metal corrosion rate : Corrosive to metals

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid : No decomposition if used as directed.

10.5 Incompatible materials

Materials to avoid : None known.

10.6 Hazardous decomposition products

Carbon dioxide (CO2) Carbon monoxide

Smoke

Hazardous decomposition

products

: No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

Components:

Citric acid:

Acute oral toxicity : LD50 (Rat): 11,700 mg/kg

Skin corrosion/irritation

Not classified due to lack of data.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Skin sensitisation

Not classified due to lack of data.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

hebro chemie

B029-K60 hebro®ÖkoClean RS

Version: 2.15 Revision Date: 23.01.2025 Print Date: 24.01.2025

Respiratory sensitisation

Not classified due to lack of data.

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Based on available data, the classification criteria are not met.

Product:

Carcinogenicity - Assess-

ment

: Not classifiable as a human carcinogen.

Reproductive toxicity

Not classified due to lack of data.

STOT - single exposure

Not classified due to lack of data.

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : This substance/mixture does not contain components consid-

ered to have endocrine disrupting properties for human health

according to UK REACH Article 57(f),

Further information

Product:

Remarks : Health injuries are not known or expected under normal use.

SECTION 12: Ecological information

12.1 Toxicity

Components:

Citric acid:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 440 - 760 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): ca. 120 mg/l

Exposure time: 72 h

Toxicity to microorganisms : EC0 (Bacteria): > 10,000 mg/l

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

hebro

B029-K60 hebro®ÖkoClean RS

Version: 2.15 Revision Date: 23.01.2025 Print Date: 24.01.2025

12.2 Persistence and degradability

Product:

Biodegradability Remarks: No data available

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data available

12.4 Mobility in soil

Product:

Mobility Remarks: No data available

12.5 Results of PBT and vPvB assessment

Product:

This substance/mixture contains no components considered Assessment

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment This substance/mixture does not contain components consid-

ered to have endocrine disrupting properties for environment

according to UK REACH Article 57(f).

12.7 Other adverse effects

Product:

mation

Additional ecological infor- : Do not flush into surface water or sanitary sewer system.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product Do not let product enter drains.

Do not dispose of with domestic refuse.

Waste codes should be assigned by the user, preferably in

discussion with the waste disposal authorities.

If recycling is not practicable, dispose of in compliance with Contaminated packaging

local regulations.

Since emptied containers retain product residues (vapour and/or liquid) follow all MSDS/label warnings after container is

emptied.

Waste Code : Waste codes should be assigned by the user, preferably in

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

hebro chemie A brand of BASF – we create chemistry

B029-K60 hebro®ÖkoClean RS

Version: 2.15 Revision Date: 23.01.2025 Print Date: 24.01.2025

discussion with the waste disposal authorities.

SECTION 14: Transport information

14.1 UN number or ID number

ADR : UN 3265
RID : UN 3265
IMDG : UN 3265
IATA : UN 3265

14.2 UN proper shipping name

ADR : CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.

(Citric acid)

RID : CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.

(Citric acid)

IMDG : CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.

(Citric acid)

IATA : Corrosive liquid, acidic, organic, n.o.s.

(Citric acid)

14.3 Transport hazard class(es)

Class Subsidiary risks

 ADR
 : 8

 RID
 : 8

 IMDG
 : 8

 IATA
 : 8

14.4 Packing group

ADR

Packing group : III
Classification Code : C3
Hazard Identification Number : 80
Labels : 8
Tunnel restriction code : (E)

RID

Packing group : III
Classification Code : C3
Hazard Identification Number : 80
Labels : 8

IMDG

Packing group : III Labels : 8

EmS Code : F-A, S-B

Remarks : Acids, Clear of living quarters.

IATA (Cargo)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

hebro chemie

B029-K60 hebro®ÖkoClean RS

Version: 2.15 Revision Date: 23.01.2025 Print Date: 24.01.2025

856

Packing instruction (cargo

aircraft)

Packing instruction (LQ) : Y841
Packing group : III

Labels : Corrosives

IATA_P (Passenger)

Packing instruction (passen: 852

ger aircraft)

Packing instruction (LQ) : Y841
Packing group : III

Labels : Corrosives

14.5 Environmental hazards

ADR

Environmentally hazardous : no

rid

Environmentally hazardous : no

IMDG

Marine pollutant : no

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17) : Conditions of restriction for the fol-

lowing entries should be considered:

Number on list 3

UK REACH Candidate list of substances of very high

concern (SVHC) for Authorisation

Not applicable

Not applicable

The Persistent Organic Pollutants Regulations (retained

Regulation (EU) 2019/1021 as amended for Great Brit-

ain)

Regulation (EC) on substances that deplete the ozone

layer

: Not applicable

UK REACH List of substances subject to authorisation

(Annex XIV)

Not applicable

GB Export and import of hazardous chemicals - Prior

Informed Consent (PIC) Regulation

: Not applicable

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

hebro chemie

B029-K60 hebro®ÖkoClean RS

Version: 2.15 Revision Date: 23.01.2025 Print Date: 24.01.2025

Other regulations:

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to new and expectant mothers at work contained in Regulation 16 to 18) and of the Pregnant Workers Directive 92/85/EEC.

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to protection of young people at work contained in Regulation 19) and of Directive 94/33/EC on the protection of young people at work.

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance when it is used in the specified applications.

SECTION 16: Other information

Full text of H-Statements

H314 : Causes severe skin burns and eye damage.

H319 : Causes serious eye irritation. H351 : Suspected of causing cancer.

Full text of other abbreviations

Carc. : Carcinogenicity
Eye Irrit. : Eye irritation
Skin Corr. : Skin corrosion

GB EH40 : UK. EH40 WEL - Workplace Exposure Limits

GB EH40 / TWA : Long-term exposure limit (8-hour TWA reference period)
GB EH40 / STEL : Short-term exposure limit (15-minute reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation: DSL - Domestic Substances List (Canada): ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic sub-

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

hebro chemie chemistry

B029-K60 hebro®ÖkoClean RS

Version: 2.15 Revision Date: 23.01.2025 Print Date: 24.01.2025

stance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Other information

The information provided is based on our current knowledge and experience and apply to the product as delivered. Regarding the product properties, these are not guaranteed. The delivery of this safety datasheet does not free the recipient of the product from his own responsibility to follow the relevant rules and regulations concerning this product.

The product is classified and labelled in accordance with EC directives or respective national laws.

Regional or national implementations of GHS may not implement all because and according

ment all hazard classes and categories.

Guideline on the Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment (RoHS) : no component is listed

No PFAS are consciously added to the product concerning the restriction proposal for inclusion to REACh (Annex XVII).

Classification of the mixture:

Classification procedure:

Met. Corr. 1 H290 Based on product data or assessment Eye Irrit. 2 H319 Calculation method

GB / EN