

Version: 3.3	Revision Date: 24.01.2025	Print Date: 25.01.2025
SECTION 1: Identification of th	e substance/mixture and of the	company/undertaking
1.1 Product identifier		
Trade name	: DCT100-K10 hebro®printclean Kl	R
1.2 Relevant identified uses of the	substance or mixture and uses ad	dvised against
Use of the Sub- stance/Mixture	: Cleaner (plastic) for professional a trade	application in industry and
1.3 Details of the supplier of the s	afety data sheet	
Company	 hebro chemie- ZN der Ro GmbH Rostocker Str. 40 41199 Mönchengladbach 	ckwood Specialties Group
Contact person	: Zentrale hebro chemie	
Telephone	: +49 (0) 2166 6009-0	
Telefax	: +49 (0) 2166 6009-99	
Contact person product safety	Abteilung Produktsicherhe	eit
Telephone	: +49(0)2166 6009-311	_
E-mail address	: msds.de@hebro-chemie.	de
1.4 Emergency telephone number		

: Giftinformationszentrum Erfurt: +49 (0) 361 730 730

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2	H315: Causes skin irritation.
Eye irritation, Category 2	H319: Causes serious eye irritation.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word

Warning

2



Version: 3.3	Revision Da	ate: 24.01.2025	Print Date: 25.01.2025
Hazard statements :	H317	Causes skin irritation. May cause an allergic skir Causes serious eye irritati	
Precautionary statements :	Prevention:		
	P264 P280	Avoid breathing mist or va Wash skin thoroughly afte Wear protective gloves/ ey tection.	r handling.
	Response:		
		If skin irritation or rash advice/ attention.	occurs: Get medical
	P337 + P313	If eye irritation persists attention.	: Get medical advice/
		Take off contaminated before reuse.	clothing and wash it

Hazardous components which must be listed on the label:

Orange, sweet, ext.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: This substance/mixture does not contain components considered to have endocrine disrupting properties for environment according to UK REACH Article 57(f).

Toxicological information: This substance/mixture does not contain components considered to have endocrine disrupting properties for human health according to UK REACH Article 57(f),

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Ethanol	64-17-5 200-578-6 01-2119457610-43	Flam. Liq. 2; H225 Eye Irrit. 2; H319 specific concentration limit Eye Irrit. 2; H319 >= 50 %	>= 2.5 - < 10
2-(2-Butoxyethoxy)ethanol; di- ethylene glycol monobutyl ether	112-34-5 203-961-6 603-096-00-8	Eye Irrit. 2; H319	>= 2.5 - < 10



sion: 3.3	Revision Date: 24.01.2	025 Print Da	ate: 25.01.202
	01-2119475104-44		
Propan-2-ol	67-63-0 200-661-7 603-117-00-0 01-2119457558-25	Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336 (Central nervous system)	>= 1 - < 2.9
1-Propoxypropan-2-ol	1569-01-3 216-372-4 01-2119474443-37	Eye Irrit. 2; H319	>= 1 - < 2.
Orange, sweet, ext.	8028-48-6 232-433-8 01-2119493353-35	Flam. Liq. 3; H226 Skin Irrit. 2; H315 Skin Sens. 1; H317 Asp. Tox. 1; H304 Aquatic Chronic 2; H411	>= 1 - < 2.
Benzenesulfonic acid, 4-C10-13- sec-alkyl derivs., compds. with triethanolamine	121617-08-1 01-2119971970-28	Skin Corr. 1C; H314 Aquatic Chronic 3; H412	>= 1 - < 2.
Butyl glycollate	7397-62-8 230-991-7 01-2119514685-36	Eye Dam. 1; H318 Repr. 2; H361d	>= 1 - < 2.5
Dodecan-1-ol, ethoxylated	9002-92-0	Eye Dam. 1; H318 Aquatic Acute 1; H400 Aquatic Chronic 3; H412	>= 0.1 - < 0.
Substances with a workplace expo	sure limit :		
2-(3-Methoxypropoxy)propan-1-ol	34590-94-8 252-104-2 01-2119450011-60		>= 2.5 - < 1

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice :	When symptoms persist or in all cases of doubt seek medical advice.
If inhaled :	Provide fresh air. Keep patient warm and at rest.
In case of skin contact :	Take off all contaminated clothing immediately. After contact with skin, wash immediately with plenty of soap and water.
In case of eye contact :	In case of eye contact, remove contact lens and rinse imme- diately with plenty of water, also under the eyelids, for at least 15 minutes.
If swallowed :	Do NOT induce vomiting. Keep at rest. Call a physician immediately.



Version: 3.3		Revision Date: 24.01.2025 Print Date: 25.01.20)25			
4.2 Most important symptoms and effects, both acute and delayed						
Risks	:	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation.				
4.3 Indication of any immediate r	neo	dical attention and special treatment needed				
SECTION 5: Firefighting meas	sur	es				
5.1 Extinguishing media						
Suitable extinguishing media	:	Alcohol-resistant foam Carbon dioxide (CO2) Dry powder Water spray jet				
Unsuitable extinguishing media	:	High volume water jet				
5.2 Special hazards arising from	the	e substance or mixture				
Specific hazards during fire- fighting	:	Hazardous decomposition products formed under fire condi- tions. Carbon monoxide Nitrogen oxides (NOx) Carbon dioxide (CO2)				
5.3 Advice for firefighters						
Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if ne essary.	C-			
Specific extinguishing meth- ods	:	Use water spray to cool unopened containers. Suppress (knock down) gases/vapours/mists with a water spray jet.				
Further information	:	Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.	st			

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Ensure adequate ventilation.
		Do not breathe vapours, aerosols.

6.2 Environmental precautions

Environmental precautions	:	Inform the relevant authorities if it enters sewers, aquatic envi-
		ronment or soil.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Contain spillage, soak up with non-combustible absorbent
		material, (e.g. sand, earth, diatomaceous earth, vermiculite)



Version: 3.3		Revision Date: 24.01.2025	Print Date: 25.01.2025
		and transfer to a container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal.	
6.4 Reference to other sections			
Refer to protective measures listed	l in	sections 7 and 8., For disposal conside	erations see section 13.
SECTION 7: Handling and sto	ra	ge	
7.1 Precautions for safe handling	9		
Advice on safe handling	:	Keep away from open flames, hot sur ignition.	faces and sources of
		Take precautionary measures agains For personal protection see section 8	
Advice on protection against fire and explosion	:	Vapours are heavier than air and may Vapours may form explosive mixtures	
7.2 Conditions for safe storage, i	inc	luding any incompatibilities	
Requirements for storage areas and containers	:	Follow the water regulations. Keep or tainer in a cool, well-ventilated place. opened must be carefully resealed ar leakage.	Containers which are
Further information on stor- age conditions	:	Protect from heat and sunlight. Keep ignition - No smoking.	away from sources of
Advice on common storage	:	Incompatible with oxidizing agents.	
7.3 Specific end use(s)			
Specific use(s)	:	Cleaner (plastic) for professional appl trade	lication in industry and

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis		
2-(3- Methoxypro- poxy)propan-1-ol	34590-94-8	TWA	50 ppm 308 mg/m3	GB EH40		
	Further information: Can be absorbed through the skin. The assigned sub- stances are those for which there are concerns that dermal absorption will lead to systemic toxicity.					
Ethanol	64-17-5	TWA	1,000 ppm 1,920 mg/m3	GB EH40		
		TWA	1,000 ppm 1,920 mg/m3	GB EH40		
2-(2-	112-34-5	TWA	10 ppm	GB EH40		



Version: 3.3		Revision Date: 24.	01.2025	Print Date: 25.01.2025	
Butoxyeth- oxy)ethanol; dieth- ylene glycol mono- butyl ether			67.5 mg/m3		
		STEL	15 ppm 101.2 mg/m3	GB EH40	
Propan-2-ol	67-63-0	STEL	500 ppm 1,250 mg/m3	GB EH40	
		TWA	400 ppm 999 mg/m3	GB EH40	
		STEL	500 ppm 1,250 mg/m3	GB EH40	

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006

Substance name	End Use	Exposure routes	Potential health ef- fects	Value
2-(3- Methoxypro- poxy)propan-1-ol	Workers	Inhalation	Long-term systemic effects	308 mg/m3
· · · ·	Workers	Skin contact	Long-term systemic effects	283 mg/kg bw/day
Ethanol	Workers	Inhalation	Long-term systemic effects	950 mg/m3
2-(2- Butoxyethoxy)ethanol; diethylene glycol monobutyl ether	Workers	Inhalation	Long-term systemic effects	67.5 mg/m3
	Workers	Inhalation	Long-term local ef- fects	67.5 mg/m3
	Workers	Inhalation	Acute local effects	101.2 mg/m3
	Workers	Skin contact	Long-term systemic effects	20 mg/kg bw/day
Propan-2-ol	Workers	Inhalation	Long-term systemic effects	500 mg/m3
	Workers	Skin contact	Long-term systemic effects	888 mg/kg bw/day
1-Propoxypropan-2-ol	Workers	Inhalation	Long-term systemic effects	217 mg/m3
	Workers	Skin contact	Long-term systemic effects	9 mg/kg bw/day
Orange, sweet, ext.	Workers	Inhalation	Long-term systemic effects	31.1 mg/m3
	Workers	Skin contact	Long-term systemic effects	8.89 mg/kg bw/day
	Workers	Skin contact	Acute local effects	185.8 µg/cm2
Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs., compds. with triethanolamine	Workers	Skin contact	Long-term systemic effects	5.29 mg/kg bw/day
	Workers	Inhalation	Long-term systemic effects	4.1 mg/m3
Butyl glycollate	Workers	Inhalation	Long-term systemic effects	21.2 mg/m3

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006



		1
Substance name	Environmental Compartment	Value
2-(3-Methoxypropoxy)propan-1- ol	Fresh water	19 mg/l
	Marine water	1.9 mg/l
	Intermittent use/release	190 mg/l
	Sewage treatment plant	4168 mg/l
	Fresh water sediment	70.2 mg/kg
	Marine sediment	7.02 mg/kg
	Soil	2.74 mg/kg
2-(2-Butoxyethoxy)ethanol; di- ethylene glycol monobutyl ether	Fresh water	1 mg/l
	Marine water	0.4 mg/l
	Estuary sediment	4 mg/l
Propan-2-ol	Fresh water	140.9 mg/l
	Marine water	140.9 mg/l
	Sewage treatment plant	2251 mg/l
	Sediment	552 mg/kg
	Soil	28 mg/kg
1-Propoxypropan-2-ol	Fresh water	0.1 mg/l
	Marine water	0.01 mg/l
	Fresh water sediment	0.386 mg/kg
	Marine sediment	0.0386 mg/kg
	Soil	0.0185 mg/kg
Orange, sweet, ext.	Fresh water	0.005 mg/l
	Marine water	0.0005 mg/l
	Intermittent use/release	0.0058 mg/l
	Sewage treatment plant	2.1 mg/l
	Fresh water sediment	1.3 mg/kg
	Marine sediment	0.13 mg/kg
	Soil	0.261 mg/kg
	Oral	13.3 mg/kg
Benzenesulfonic acid, 4-C10-13- sec-alkyl derivs., compds. with triethanolamine	Fresh water	0.268 mg/l
	Marine water	0.0268 mg/l
	Sewage treatment plant	7 mg/l
	Intermittent use/release	0.268 mg/l
	Fresh water sediment	8.1 mg/kg
	Marine sediment	8.1 mg/kg
	Soil	35 mg/kg
Butyl glycollate	Fresh water	0.05 mg/l
	Marine water	0.005 mg/l
	Sewage treatment plant	232 mg/l
	Fresh water sediment	0.203 mg/kg
	Marine sediment	0.0203 mg/kg
	Soil	0.0112 mg/kg

8.2 Exposure controls

Engineering measures

Handle only in a place equipped with local exhaust (or other appropriate exhaust).

Personal protective equipment

Eye/face protection Safety glasses with side-shields conforming to EN166 :



Version: 3.3		Revision Date: 24.01.2025	Print Date: 25.01.2025
Hand protection Material Break through time Protective index	:	Protective gloves complying with EN 3 > 60 min Class 3	74.
Material Glove thickness	:	Nitrile rubber 0.4 mm	
Material Glove thickness	:	butyl-rubber 0.5 mm	
Remarks	:	The choice of an appropriate glove doe its material but also on other quality fea from one producer to the other. The ex can be obtained from the protective glo has to be observed.	atures and is different act break through time
Skin and body protection	:	Chemical resistant protective clothing a 13034 (Type 6) Work uniform or laboratory coat.	according to DIN EN
Respiratory protection	:	If product forms vapours or aerosols w tion.	ear breathing protec-
Filter type	:	Combined acidic gas/vapour, ammonia vapour type (AEK)	a/amines and organic
Protective measures	:	Follow the skin protection plan.	
Environmental exposure cor	ntro	bls	
Water	:	Do not let product enter drains.	

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Colour	:	yellowish
Odour	:	characteristic
Melting point/freezing point	:	not determined
Boiling point/boiling range	:	82 °C Method: DIN 51751
Flammability	:	
Upper explosion limit / Upper	:	not determined



Version: 3.3		Revision Date: 24.01.2025	Print Date: 25.01.2025
flammability limit			
Lower explosion limit / Lower flammability limit	:	not determined	
Flash point	:	50 °C but does not support combustion	
Auto-ignition temperature	:	not determined	
рН	:	6.9 (20 °C) (undiluted)	
Viscosity Viscosity, kinematic	:	similar to water	
Solubility(ies) Water solubility	:	1,000 g/l completely soluble	
Partition coefficient: n- octanol/water	:	Not applicable	
Vapour pressure	:	not determined	
Density	:	0.99 g/cm³ (20 °C) Method: DIN 51757	
Relative vapour density	:	not determined	
9.2 Other information			
Explosives	:	No data available	
Flammability (liquids)	:	Does not sustain combustion. Method: UN L.2 Sustained combustib	lity
Substances and mixtures, which in contact with water, emit flammable gases	:	No data available	
Metal corrosion rate	:	Not corrosive to metals	



Version: 3.3	Revision Date: 24.01.2025	Print Date: 25.01.2025
SECTION 10: Stability and r	eactivity	
10.1 Reactivity		
No decomposition if stored	and applied as directed.	
10.2 Chemical stability		
The product is chemically st	able.	
10.3 Possibility of hazardous r	eactions	
Hazardous reactions	: No dangerous reaction known ur	nder conditions of normal use.
10.4 Conditions to avoid		
Conditions to avoid	: Product is stable under appropria	ate usage.
10.5 Incompatible materials		
Materials to avoid	: Oxidizing agents	
10.6 Hazardous decomposition	n products	
Carbon dioxide (CO2), carb	on monoxide (CO), oxides of nitrogen (N	Ox), dense black smoke.
SECTION 11: Toxicological	information	
11.1 Information on hazard cla	sses as defined in Regulation (EC) No	0 1272/2008
Acute toxicity		

Not classified due to lack of data.

Components:

Acute oral toxicity	:	LD50 (Rat): 10,470 mg/kg Method: OECD Test Guideline 401			
Acute inhalation toxicity	:	LC50 (Rat): 124.7 mg/l Exposure time: 4 h Test atmosphere: vapour Method: OECD Test Guideline 403			
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg Method: OECD Test Guideline 402			
2-(2-Butoxyethoxy)ethanol; diethylene glycol monobutyl ether:					
Acute oral toxicity	:	LD50 (Rat): 3,384 mg/kg			
Acute dermal toxicity	:	LD50 (Rabbit): 2,700 mg/kg			
Propan-2-ol:					
Acute oral toxicity	:	LD50 (Rat): 5,840 mg/kg Method: OECD Test Guideline 401			
Acute inhalation toxicity	:	LC50 (Rat): Exposure time: 6 h			



ion: 3.3		Revision Date: 24.01.2025	Print Date: 25.01
		Test atmosphere: vapour	
Acute dermal toxicity	:	LD50 (Rabbit): 13,900 mg/kg Method: OECD Test Guideline 402	:
1-Propoxypropan-2-ol:			
Acute oral toxicity	:	LD50 (Rat): 2,000 - 4,350 mg/kg	
Acute dermal toxicity	:	LD50 (Rabbit): 3,600 - 4,500 mg/kg	9
Orange, sweet, ext.:			
Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg	
Acute dermal toxicity	:	LD50 (Rabbit): > 5,000 mg/kg	
Benzenesulfonic acid, 4-	C10-13	s-sec-alkyl derivs., compds. with t	riethanolamine:
Acute oral toxicity	:	LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 401	
Butyl glycollate:			
Acute oral toxicity	:	LD50 (Rat): 4,595 mg/kg Method: OECD Test Guideline 401	
Dodecan-1-ol, ethoxylate	ed:		
Acute oral toxicity	:	LD50 (Rat): > 2,000 mg/kg	
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg Remarks: Information taken from re literature.	eference works and the
2-(3-Methoxypropoxy)pro	opan-1	-ol:	
Acute oral toxicity	:	LD50 (Rat): 5,135 mg/kg	
Acute dermal toxicity	:	LD50 (Rabbit): 9,510 mg/kg	
Skin corrosion/irritation Causes skin irritation.			
Serious eye damage/eye Causes serious eye irritatio		on	
Respiratory or skin sens	itisatio	n	
Skin sensitisation May cause an allergic skin	reactio	n.	
Respiratory sensitisation Not classified due to lack of			
Germ cell mutagenicity			



sion: 3.3		Revision Date: 24.01.2025	Print Date: 25.01.2025
Components:			
Orange, sweet, ext.:			
Genotoxicity in vitro	:	Remarks: In vitro tests did not show	mutagenic effects
Benzenesulfonic acid, 4-C10	0-13	3-sec-alkyl derivs., compds. with tr	iethanolamine:
Genotoxicity in vitro	:	Test Type: Ames test Test system: Salmonella typhimuriu Metabolic activation: with and witho Method: OECD Test Guideline 471 Remarks: In vitro tests did not show	ut metabolic activation
Dodecan-1-ol, ethoxylated:			
Genotoxicity in vitro	:	Remarks: In vitro tests did not show	mutagenic effects
Genotoxicity in vivo	:	Result: In vivo tests did not show me	utagenic effects
Carcinogenicity			
Based on available data, the c	clas	sification criteria are not met.	
Product: Carcinogenicity - Assess- ment	:	Not classifiable as a human carcino	gen.
Reproductive toxicity Not classified due to lack of da	ata.		
Components:			
Butyl glycollate: Reproductive toxicity - As- sessment	:	Suspected of damaging the unborn	child.
STOT - single exposure Not classified due to lack of da	ata.		
STOT - repeated exposure Not classified due to lack of da	ata.		
Repeated dose toxicity			
Components:			
Dodecan-1-ol, ethoxylated:			
Species NOAEL Target Organs	: : :	Rat mg/kg bw/d, 50 Heart, Liver, Kidney	
Aspiration toxicity Not classified due to lack of da	ata.		



Version: 3.3	Revision Date: 24.01.2025	Print Date: 25.01.2025
11.2 Information on other hazard	ds	
Endocrine disrupting prope	erties	
Product:		
Assessment	: This substance/mixture does not co ered to have endocrine disrupting p according to UK REACH Article 57	properties for human health
Further information		
Product:		
Remarks	: According to many years of experie harmful effects when handled prop Description of possible hazardous t on experience and/or toxicological components.	erly. to health effects is based

SECTION 12: Ecological information

12.1 Toxicity

Components:

Ethano	
Elhano	

Ethanol:		
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 13,000 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	LC50 (Daphnia magna (Water flea)): 12,340 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (Algae): 275 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
2-(2-Butoxyethoxy)ethanol;	die	thylene glycol monobutyl ether:
Toxicity to fish	:	LC50 (Leuciscus idus (Golden orfe)): 2,750 mg/l Exposure time: 48 h Method: DIN 38412
		LC50 (Lepomis macrochirus (Bluegill sunfish)): 1,300 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia (water flea)): 2,850 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	NOEC (Desmodesmus subspicatus (green algae)): > 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 201
Propan-2-ol:		
Toxicity to fish	:	LC50 (Leuciscus idus (Golden orfe)): 8,970 mg/l
		12/20



sion: 3.3		Revision Date: 24.01.2025 Print Date: 25.0	1.2025
		Exposure time: 48 h	_
		LC50 (Pimephales promelas (fathead minnow)): 9,640 n Exposure time: 96 h	ng/l
Toxicity to daphnia and other aquatic invertebrates	:	LC50 (Daphnia magna (Water flea)): 9,714 mg/l Exposure time: 24 h	
Toxicity to algae/aquatic plants	:	EC50 (Scenedesmus subspicatus): > 100 mg/l Exposure time: 72 h	
Toxicity to microorganisms	:	IC50 (Bacteria): > 100 mg/l	
1-Propoxypropan-2-ol:			
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/	1
Toxicity to daphnia and other aquatic invertebrates	:	LC50 (Daphnia magna (Water flea)): 3,600 mg/l	
Toxicity to algae/aquatic plants	:	EC50 (Scenedesmus capricornutum (fresh water algae)) 1,466 mg/l):
Toxicity to microorganisms	:	EC50 (Bacteria): 3,800 mg/l Exposure time: 16 h	
Orange, sweet, ext.:			
Toxicity to fish	:	LC50 (Pimephales promelas (Fathead minnow)): 0.7 mg Exposure time: 96 h Method: OECD Test Guideline 203	ı/I
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0.67 mg/l Exposure time: 48 h Method: OECD Test Guideline 202	
Toxicity to algae/aquatic plants	:	ErC50 (Desmodesmus subspicatus): 150 mg/l Exposure time: 72 h Method: OECD Test Guideline 201	
Benzenesulfonic acid, 4-C1	0-13	3-sec-alkyl derivs., compds. with triethanolamine:	
Toxicity to fish	:	LC50 (Brachydanio rerio (Zebra danio)): > 1 - 10 mg/l Exposure time: 96 h Test Type: flow-through test Method: OECD Test Guideline 203	
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 10 - 100 mg/l Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202	
Toxicity to microorganisms	:	EC10 (Pseudomonas putida): 50 mg/l Exposure time: 18 h Test Type: Growth inhibition	



Version: 3.3		Revision Date: 24.01.2025	Print Date: 25.01.2025
Butyl glycollate: Toxicity to algae/aquatic plants	:	NOEC (Lemna minor (duckweed Test Type: Growth inhibition Method: OECD Test Guideline 2 GLP: yes	
Dodecan-1-ol, ethoxylated: Toxicity to fish	:	LC50 (Brachydanio rerio (Zebra Exposure time: 96 h Test Type: semi-static test	danio)): > 0.1 - 1 mg/l
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water fle Exposure time: 48 h Test Type: static test	ea)): > 0.1 - 1 mg/l
Toxicity to algae/aquatic plants	:	EC10 (Algae): > 0.1 - 1 mg/l Exposure time: 72 h Test Type: static test	
Toxicity to microorganisms	:	EC50 (activated sludge): 140 mg Test Type: Respiration inhibition	
2-(3-Methoxypropoxy)propa	ın-1	-ol:	
Toxicity to fish	:	LC50 (Pimephales promelas (fat Exposure time: 96 h	head minnow)): 10,000 mg/l
Toxicity to daphnia and other aquatic invertebrates	:	LC50 (Daphnia magna (Water fle Exposure time: 48 h	əa)): 1,919 mg/l
		NOEC (Daphnia magna (Water f Exposure time: 22 d	lea)): 0.5 mg/l
Toxicity to algae/aquatic plants	:	EC50 (Selenastrum capricornutu Exposure time: 72 h	ım (green algae)): 1,000 mg/l
Toxicity to microorganisms	:	EC10 (Pseudomonas putida): 4, Test Type: Growth inhibition	168 mg/l
12.2 Persistence and degradabil	ity		
<u>Product:</u> Biodegradability	:	Remarks: No data available	
12.3 Bioaccumulative potential			
Product: Bioaccumulation	:	Remarks: No data available	
Components:			
1-Propoxypropan-2-ol: Partition coefficient: n-	:	log Pow: 0.621	



Version: 3.3		Revision Date: 24.01.2025	Print Date: 25.01.2025
octanol/water			
12.4 Mobility in soil			
Product:			
Mobility	:	Remarks: No data available	
Components:			
Dodecan-1-ol, ethoxylated:			
Distribution among environ- mental compartments	:	Medium: Soil Koc: > 5000 Remarks: immobile	
12.5 Results of PBT and vPvB as	sse	ssment	
Product:			
Assessment	:	This substance/mixture contains no to be either persistent, bioaccumular very persistent and very bioaccumul 0.1% or higher.	tive and toxic (PBT), or
12.6 Endocrine disrupting prope	rtie	S	
Product:			
Assessment	:	This substance/mixture does not con ered to have endocrine disrupting pr according to UK REACH Article 57(f	operties for environment
12.7 Other adverse effects			
Product:			
Additional ecological infor- mation	:	Do not flush into surface water or sa Avoid subsoil penetration.	nitary sewer system.
SECTION 13: Disposal consid	lera	ations	
13.1 Waste treatment methods			
Product	:	Dispose of in accordance with local Do not let product enter drains. Do not dispose of with domestic refu	-
Contaminated packaging	:	Dispose of in accordance with local	regulations.
Waste Code	:	Waste codes should be assigned by discussion with the waste disposal a	
SECTION 14: Transport inform	nat	tion	

14.1 UN number or ID number



Version: 3.3		Revision Date: 24.01.2025	Print Date: 25.01.2025
		Not regulated as a departous good	
ADR	-	Not regulated as a dangerous good	
RID	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
IATA_P	:	Not regulated as a dangerous good	
14.2 UN proper shipping name	•		
ADR	:	Not regulated as a dangerous good	
RID	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
IATA_P	:	Not regulated as a dangerous good	
14.3 Transport hazard class(e	s)		
ADR	:	Not regulated as a dangerous good	
RID	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
IATA_P	:	Not regulated as a dangerous good	
14.4 Packing group			
ADR	:	Not regulated as a dangerous good	
RID	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
IATA (Cargo)	:	Not regulated as a dangerous good	
IATA_P (Passenger)	:	Not regulated as a dangerous good	
14.5 Environmental hazards		od	

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mix-ture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17)	: Conditions of restriction for the fol- lowing entries should be considered: Number on list 3
UK REACH Candidate list of substances of very high	Number on list 55: 2-(2- Butoxyethoxy)ethanol; diethylene glycol monobutyl ether : Not applicable



Version: 3.3	Revision Date: 24.01.202	25	Print Date: 25.01.2025
concern (SVHC) for Authorisation			
The Persistent Organic Pollutants Regulation (EU) 2019/1021 as am ain)	e	Not applica	able
Regulation (EC) on substances th layer	at deplete the ozone :	Not applica	able
UK REACH List of substances su (Annex XIV)	bject to authorisation :	Not applica	able
GB Export and import of hazardou Informed Consent (PIC) Regulation		Not applica	able

Other regulations:

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to new and expectant mothers at work contained in Regulation 16 to 18) and of the Pregnant Workers Directive 92/85/EEC.

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to protection of young people at work contained in Regulation 19) and of Directive 94/33/EC on the protection of young people at work.

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance.

SECTION 16: Other information

Full text of H-Statements

H225 H226 H304 H314 H315 H317 H318 H319 H336 H361d H400 H411 H412		Highly flammable liquid and vapour. Flammable liquid and vapour. May be fatal if swallowed and enters airways. Causes severe skin burns and eye damage. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Causes serious eye damage. Causes serious eye irritation. May cause drowsiness or dizziness. Suspected of damaging the unborn child. Very toxic to aquatic life. Toxic to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects.
Full text of other abbreviation	าร	
Aquatic Acute Aquatic Chronic Asp. Tox. Eye Dam. Eye Irrit. Flam. Liq. Repr. Skin Corr.	: : : : : : : : : : : : : : : : : : : :	Short-term (acute) aquatic hazard Long-term (chronic) aquatic hazard Aspiration hazard Serious eye damage Eye irritation Flammable liquids Reproductive toxicity Skin corrosion



Version: 3.3		Revision Date: 24.01.2025	Print Date: 25.01.2025	
Skin Irrit.	:	Skin irritation		
Skin Sens.	:	Skin sensitisation		
STOT SE	:	: Specific target organ toxicity - single exposure		
GB EH40	:	UK. EH40 WEL - Workplace Expo	osure Limits	
GB EH40 / TWA	:	Long-term exposure limit (8-hour	TWA reference period)	
GB EH40 / STEL	:	Short-term exposure limit (15-mir	ute reference period)	

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization: IECSC - Inventory of Existing Chemical Substances in China: IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance: PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Other information

The information provided is based on our current knowledge and experience and apply to the product as delivered. Regarding the product properties, these are not guaranteed. The delivery of this safety datasheet does not free the recipient of the product from his own responsibility to follow the relevant rules and regulations concerning this product.

The product is classified and labelled in accordance with EC directives or respective national laws. Regional or national implementations of GHS may not implement all hazard classes and categories. Guideline on the Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment (RoHS) : no component is listed H317



Calculation method

Version: 3.3	Revision Dat	e: 24.01.2025	Print Date: 25.01.2025
			o the product concerning the REACh (Annex XVII).
Classification of the	mixture:	Classific	cation procedure:
Skin Irrit. 2	H315	Calculatio	on method
Eye Irrit. 2	H319	Calculatio	on method

GB / EN

Skin Sens. 1