

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878

**E056-B21 hebro®cut PS 5000**

Version: 2.12

Revision Date: 24.01.2025

Print Date: 25.01.2025

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name : E056-B21 hebro®cut PS 5000

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Punching oil for the shaping of steel, stainless steel, alumin-  
stance/Mixture um and brass

### 1.3 Details of the supplier of the safety data sheet

Company : hebro chemie- ZN der Rockwood Specialties Group  
GmbH  
Rostocker Str. 40  
41199 Mönchengladbach  
Contact person : Zentrale hebro chemie  
Telephone : +49 (0) 2166 6009-0  
Telefax : +49 (0) 2166 6009-99  
Contact person product safety : Abteilung Produktsicherheit  
Telephone : +49(0)2166 6009-311  
E-mail address : msds.de@hebro-chemie.de

### 1.4 Emergency telephone number

: Giftinformationszentrum Erfurt:  
+49 (0) 361 730 730

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Eye irritation, Category 2 H319: Causes serious eye irritation.

Aspiration hazard, Category 1 H304: May be fatal if swallowed and enters air-  
ways.

Long-term (chronic) aquatic hazard, Cat- H412: Harmful to aquatic life with long lasting ef-  
egory 3 fects.

### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878

**E056-B21 hebro®cut PS 5000**

Version: 2.12

Revision Date: 24.01.2025

Print Date: 25.01.2025

Signal word : Danger

Hazard statements : H304 May be fatal if swallowed and enters airways.  
H319 Causes serious eye irritation.  
H412 Harmful to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**  
P273 Avoid release to the environment.  
P280 Wear eye protection/ face protection.

**Response:**  
P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.  
P331 Do NOT induce vomiting.  
P337 + P313 If eye irritation persists: Get medical advice/ attention.

**Disposal:**  
P501 Dispose of contents/ container to an approved waste disposal plant.

## Hazardous components which must be listed on the label:

Hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics

## 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: This substance/mixture does not contain components considered to have endocrine disrupting properties for environment according to UK REACH Article 57(f).

Toxicological information: This substance/mixture does not contain components considered to have endocrine disrupting properties for human health according to UK REACH Article 57(f),

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Chemical nature : Preparation of mineral and vegetable oils plus extreme pressure additives

#### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics	Not Assigned 01-2119827000-58	Asp. Tox. 1; H304	>= 65 - < 80
Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate)	4259-15-8 224-235-5 01-2119493635-27	Eye Dam. 1; H318 Aquatic Chronic 2; H411	>= 3 - < 10

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878

**E056-B21 hebro®cut PS 5000**

Version: 2.12

Revision Date: 24.01.2025

Print Date: 25.01.2025

		specific concentration limit Eye Dam. 1; H318 > 50 %	
--	--	---	--

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

- General advice : No special precautions required.  
Call a physician if symptoms occur.
- If inhaled : No special precautions required.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Wash contaminated clothing before re-use.
- In case of eye contact : In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
- If swallowed : Do NOT induce vomiting.  
Aspiration hazard  
Call a physician immediately.  
Keep at rest.

### 4.2 Most important symptoms and effects, both acute and delayed

- Risks : May be fatal if swallowed and enters airways.  
Causes serious eye irritation.

### 4.3 Indication of any immediate medical attention and special treatment needed

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

- Suitable extinguishing media : Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry powder  
Water mist
- Unsuitable extinguishing media : High volume water jet

### 5.2 Special hazards arising from the substance or mixture

- Specific hazards during fire-fighting : Combustion may cause:
- Hazardous combustion products : Carbon oxides

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878

**E056-B21 hebro®cut PS 5000**

Version: 2.12

Revision Date: 24.01.2025

Print Date: 25.01.2025

## 5.3 Advice for firefighters

- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.
- Specific extinguishing methods : Use water spray to cool unopened containers.
- Further information : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

- Personal precautions : Avoid contact with skin, eyes and clothing.  
Refer to protective measures listed in sections 7 and 8.

### 6.2 Environmental precautions

- Environmental precautions : Inform the relevant authorities if it enters sewers, aquatic environment or soil.

### 6.3 Methods and material for containment and cleaning up

- Methods for cleaning up : Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).  
Keep in suitable, closed containers for disposal.  
Contaminated surfaces will be extremely slippery.

### 6.4 Reference to other sections

Refer to protective measures listed in sections 7 and 8., For disposal considerations see section 13.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

- Advice on safe handling : Avoid contact with skin and eyes.  
Ensure adequate ventilation.  
For personal protection see section 8.

### 7.2 Conditions for safe storage, including any incompatibilities

- Requirements for storage areas and containers : Follow the water regulations. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep only in the original container in a cool, well-ventilated place.
- Further information on storage conditions : Keep away from heat. Protect from frost.
- Advice on common storage : Incompatible with oxidizing agents.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878

**E056-B21 hebro®cut PS 5000**

Version: 2.12

Revision Date: 24.01.2025

Print Date: 25.01.2025

Recommended storage temperature : 5 - 40 °C

## 7.3 Specific end use(s)

Specific use(s) : Punching oil for the shaping of steel, stainless steel, aluminium and brass

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

Contains no substances with occupational exposure limit values.

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006

Substance name	End Use	Exposure routes	Potential health effects	Value
Zinc bis[O,O-bis(2-ethylhexyl)]bis(dithiophosphate)	Workers	Inhalation	Long-term systemic effects	6.6 mg/m <sup>3</sup>

### 8.2 Exposure controls

#### Personal protective equipment

Eye/face protection : Safety glasses with side-shields conforming to EN166

#### Hand protection

Material : Protective gloves complying with EN 374.  
Break through time : > 60 min  
Protective index : Class 3

Material : Nitrile rubber  
Glove thickness : 0.4 mm

Material : butyl-rubber  
Glove thickness : 0.5 mm

Remarks : The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. The exact break through time can be obtained from the protective glove producer and this has to be observed.

Skin and body protection : Chemical resistant protective clothing according to DIN EN 13034 (Type 6)  
Work uniform or laboratory coat.

Respiratory protection : not required under normal use  
Breathing apparatus needed only when aerosol or mist is formed.

Filter type : Organic vapour type (A)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878

**E056-B21 hebro®cut PS 5000**

Version: 2.12

Revision Date: 24.01.2025

Print Date: 25.01.2025

Protective measures : When using do not eat, drink or smoke.  
Wash hands before breaks and at the end of workday.  
Follow the skin protection plan.

## Environmental exposure controls

Water : Do not flush into surface water or sanitary sewer system.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state : liquid

Colour : yellow

Odour : mild

Melting point/freezing point : not determined

Boiling point/boiling range : 260 °C  
Method: DIN 51751

Upper explosion limit / Upper flammability limit : not determined

Lower explosion limit / Lower flammability limit : not determined

Flash point : 160 °C

Auto-ignition temperature : 230 °C

pH : Not applicable

Viscosity  
Viscosity, kinematic : ca. 7.5 mm<sup>2</sup>/s (40 °C)

Solubility(ies)  
Water solubility : insoluble

Partition coefficient: n-octanol/water : Not applicable

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878

**E056-B21 hebro®cut PS 5000**

Version: 2.12

Revision Date: 24.01.2025

Print Date: 25.01.2025

Vapour pressure : not determined

Density : ca. 0.85 g/cm<sup>3</sup> (20 °C)  
Method: DIN 51757

Relative vapour density : not determined

## 9.2 Other information

Explosives : No data available

Substances and mixtures,  
which in contact with water,  
emit flammable gases : No data available

Metal corrosion rate : Not corrosive to metals

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No decomposition if stored and applied as directed.

### 10.2 Chemical stability

The product is chemically stable.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

### 10.4 Conditions to avoid

Conditions to avoid : No decomposition if used as directed.

### 10.5 Incompatible materials

Materials to avoid : Strong acids and oxidizing agents

### 10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

Carbon oxides

Smoke

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Not classified due to lack of data.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878

**E056-B21 hebro®cut PS 5000**

Version: 2.12

Revision Date: 24.01.2025

Print Date: 25.01.2025

## **Components:**

### **Hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.266 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 3,160 mg/kg

### **Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate):**

Acute oral toxicity : LD50 (Rat):

### **Skin corrosion/irritation**

Not classified due to lack of data.

### **Serious eye damage/eye irritation**

Causes serious eye irritation.

### **Respiratory or skin sensitisation**

#### **Skin sensitisation**

Not classified due to lack of data.

#### **Respiratory sensitisation**

Not classified due to lack of data.

#### **Germ cell mutagenicity**

Not classified due to lack of data.

### **Carcinogenicity**

Based on available data, the classification criteria are not met.

## **Product:**

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

### **Reproductive toxicity**

Not classified due to lack of data.

#### **STOT - single exposure**

Not classified due to lack of data.

#### **STOT - repeated exposure**

Not classified due to lack of data.

### **Aspiration toxicity**

May be fatal if swallowed and enters airways.

## **Product:**

May be fatal if swallowed and enters airways.



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878

**E056-B21 hebro®cut PS 5000**

Version: 2.12

Revision Date: 24.01.2025

Print Date: 25.01.2025

## 11.2 Information on other hazards

### Endocrine disrupting properties

**Product:**

Assessment : This substance/mixture does not contain components considered to have endocrine disrupting properties for human health according to UK REACH Article 57(f),

### Further information

**Product:**

Remarks : Health injuries are not known or expected under normal use.

---

## SECTION 12: Ecological information

### 12.1 Toxicity

**Components:**

**Hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics:**

Toxicity to fish : EC50 (Fish): > 1,028 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia (water flea)): > 3,193 mg/l  
aquatic invertebrates Exposure time: 48 h

Toxicity to algae/aquatic : EC50 (Algae): > 10,000 mg/l  
plants Exposure time: 72 h

**Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate):**

Toxicity to fish : LC50 : 1 - 10 mg/l

Toxicity to daphnia and other : EC50 (Daphnia (water flea)): 1 - 10 mg/l  
aquatic invertebrates

### 12.2 Persistence and degradability

**Product:**

Biodegradability : Remarks: No data available

### 12.3 Bioaccumulative potential

**Product:**

Bioaccumulation : Remarks: No data available

### 12.4 Mobility in soil

**Product:**

Mobility : Remarks: No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878

**E056-B21 hebro®cut PS 5000**

Version: 2.12

Revision Date: 24.01.2025

Print Date: 25.01.2025

## 12.5 Results of PBT and vPvB assessment

### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## 12.6 Endocrine disrupting properties

### Product:

Assessment : This substance/mixture does not contain components considered to have endocrine disrupting properties for environment according to UK REACH Article 57(f).

## 12.7 Other adverse effects

### Product:

Additional ecological information : Do not flush into surface water or sanitary sewer system.

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations.  
Do not let product enter drains.  
Do not dispose of with domestic refuse.

Contaminated packaging : Dispose of in accordance with local regulations.

Waste Code : Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

---

## SECTION 14: Transport information

### 14.1 UN number or ID number

ADR : Not regulated as a dangerous good

RID : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good

IATA\_P : Not regulated as a dangerous good

### 14.2 UN proper shipping name

ADR : Not regulated as a dangerous good

RID : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good

IATA\_P : Not regulated as a dangerous good

### 14.3 Transport hazard class(es)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878

**E056-B21 hebro®cut PS 5000**

Version: 2.12

Revision Date: 24.01.2025

Print Date: 25.01.2025

**ADR** : Not regulated as a dangerous good  
**RID** : Not regulated as a dangerous good  
**IMDG** : Not regulated as a dangerous good  
**IATA\_P** : Not regulated as a dangerous good

## 14.4 Packing group

**ADR** : Not regulated as a dangerous good  
**RID** : Not regulated as a dangerous good  
**IMDG** : Not regulated as a dangerous good  
**IATA (Cargo)** : Not regulated as a dangerous good  
**IATA\_P (Passenger)** : Not regulated as a dangerous good

## 14.5 Environmental hazards

Not regulated as a dangerous good

## 14.6 Special precautions for user

Not applicable

## 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

# SECTION 15: Regulatory information

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17) : Conditions of restriction for the following entries should be considered:  
Number on list 3

UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation : Not applicable

The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain) : Not applicable

Regulation (EC) on substances that deplete the ozone layer : Not applicable

UK REACH List of substances subject to authorisation (Annex XIV) : Not applicable

GB Export and import of hazardous chemicals - Prior Informed Consent (PIC) Regulation : Not applicable

## 15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878

**E056-B21 hebro®cut PS 5000**

Version: 2.12

Revision Date: 24.01.2025

Print Date: 25.01.2025

## SECTION 16: Other information

### Full text of H-Statements

- H304 : May be fatal if swallowed and enters airways.  
H318 : Causes serious eye damage.  
H411 : Toxic to aquatic life with long lasting effects.

### Full text of other abbreviations

- Aquatic Chronic : Long-term (chronic) aquatic hazard  
Asp. Tox. : Aspiration hazard  
Eye Dam. : Serious eye damage

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

- Other information : The information provided is based on our current knowledge and experience and apply to the product as delivered. Regarding the product properties, these are not guaranteed. The delivery of this safety datasheet does not free the recipient of the product from his own responsibility to follow the relevant rules and regulations concerning this product.

The product is classified and labelled in accordance with EC

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878

**E056-B21 hebro®cut PS 5000**



Version: 2.12

Revision Date: 24.01.2025

Print Date: 25.01.2025

directives or respective national laws.

Regional or national implementations of GHS may not implement all hazard classes and categories.

Guideline on the Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment (RoHS) :  
no component is listed

No PFAS are consciously added to the product concerning the restriction proposal for inclusion to REACH (Annex XVII).

## Classification of the mixture:

Eye Irrit. 2	H319
Asp. Tox. 1	H304
Aquatic Chronic 3	H412

## Classification procedure:

Calculation method  
Based on product data or assessment  
Calculation method

GB / EN