

Version: 4.7	Revision Date: 05.04.2018	Print Date: 07.04.2018
SECTION 1: Identification of the	e substance/mixture and of th	ne company/undertaking
1.1 Product identifier		
Trade name	: XF126-B21 hebro®lub 921	
1.2 Relevant identified uses of the	substance or mixture and uses	advised against
Use of the Sub- stance/Mixture	: High speed cooling lubricant for	metalworking
1.3 Details of the supplier of the sa	afety data sheet	
Company	: hebro chemie- ZN der F GmbH Rostocker Str. 40 41199 Mönchengladba	Rockwood Specialties Group
Contact person	: Zentrale hebro chemie	
Telephone	: +49 (0) 2166 6009-0	
Telefax	: +49 (0) 2166 6009-99	
Contact person product safety	Abteilung Produktsiche	rheit
Telephone	: +49(0)2166 6009-311	
E-mail address	: msds.de@hebro-chemi	e.de
1.4 Emergency telephone number		
	: Giftinformationszentrum +49 (0) 361 730 730	n Erfurt:
SECTION 2: Hazards identificat	ion	

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)				
Eye irritation, Category 2	H319: Causes serious eye irritation.			
Chronic aquatic toxicity, Category 3	H412: Harmful to aquatic life with long lasting effects.			

2.2 Label elements

Labelling (REGULATION (Hazard pictograms	EC) :	No 1272/2008)
Signal word	:	Warning
Hazard statements	:	H319 Causes serious eye irritation.H412 Harmful to aquatic life with long lasting effects.



Version: 4.7	Revision Date: 05.04.2018	Print Date: 07.04.2018
Precautionary statements :	Prevention:P264Wash skin thoroughly after haP273Avoid release to the environmP280Wear eye protection/ face protection	ent.
	Response: P305 + P351 + P338 IF IN EYES: F ter for several minutes. Remove conta easy to do. Continue rinsing. P337 + P313 If eye irritation persists attention.	ict lenses, if present and
	Disposal:	

P501 Dispose of contents/ container to an approved waste disposal plant.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

The information required is contained in this Material Safety Data Sheet.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Preparation containing mineral oil with specific components.

Hazardous components

Chemical name	CAS-No. EC-No. Registration number	Classification (REGULATION (EC) No 1272/2008)	Concentration (% w/w)
distillates (petroleum), heavy hy- drocracked	64741-76-0 265-077-7 01-2119486951-26	Asp. Tox. 1; H304 Note L	>= 25 - < 50
Alcohols, C16-18 and C18- unsatd., ethoxylated	68920-66-1 500-236-9	Skin Irrit. 2; H315 Aquatic Chronic 2; H411	>= 2.5 - < 5
Poly(oxy-1,2-ethanediyl), .alpha (9Z)-9-octadecenylomega hydroxy-	9004-98-2 500-016-2	Eye Irrit. 2; H319 Skin Irrit. 2; H315	>= 2.5 - < 3
(Ethylenedioxy)dimethanol	3586-55-8 222-720-6 01-2120733841-56	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318	>= 1 - < 2.5

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

: No special precautions required.



Version: 4.7		Revision Date: 05.04.2018	Print Date: 07.04.2018
		Call a physician if symptoms occur.	
If inhaled	:	Provide fresh air. If symptoms persist, call a physician	
In case of skin contact	:	Take off immediately all contaminate Wash off immediately with soap and	
In case of eye contact	:	Rinse immediately with plenty of wat for at least 15 minutes. If eye irritation persists, consult a spe	-
If swallowed	:	Call a physician immediately. Keep at rest. Do NOT induce vomiting. Aspiration hazard.	
4.2 Most important symptoms an	d e	effects, both acute and delayed	
Symptoms	:	No information available.	
Risks	:	No information available.	
Treatment	:	dical attention and special treatmen Treat symptomatically.	it needed
SECTION 5: Firefighting meas	sur	es	
5.1 Extinguishing media			
Suitable extinguishing media	:	Use water spray, alcohol-resistant fo bon dioxide.	am, dry chemical or car-
Unsuitable extinguishing media	:	High volume water jet	
5.2 Special hazards arising from	the	e substance or mixture	
Specific hazards during fire- fighting	:	Combustion may cause: Carbon dioxide (CO2) Carbon monoxide Nitrogen oxides (NOx)	
5.3 Advice for firefighters			
	:	Wear self-contained breathing apparessary.	ratus for firefighting if nec-
Further information	:	Use water spray to cool unopened of Fire residues and contaminated fire be disposed of in accordance with lo	extinguishing water must



Version: 4.7		Revision Date: 05.04.2018	Print Date: 07.04.2018
SECTION 6: Accidental releas	se i	neasures	
6.1 Personal precautions, protect	tiv	e equipment and emergency pro	cedures
Personal precautions	:	Avoid contact with skin, eyes and Refer to protective measures liste	
6.2 Environmental precautions			
Environmental precautions	:	Do not flush into surface water or Inform the relevant authorities if it ronment or soil.	
6.3 Methods and material for con	ntai	nment and cleaning up	
Methods for cleaning up	:	Contain spillage, soak up with normaterial, (e.g. sand, earth, diatom and transfer to a container for dis national regulations (see section Keep in suitable, closed containe	naceous earth, vermiculite) posal according to local / 13).
8 and 13 SECTION 7: Handling and sto	ra	ge	
7.1 Precautions for safe handling	3		
Advice on safe handling	:	Avoid contact with skin and eyes. Ensure adequate ventilation. When using do not eat, drink or s For personal protection see section	moke.
Advice on protection against fire and explosion	:	No special protective measures a	gainst fire required.
7.2 Conditions for safe storage, i	inc	luding any incompatibilities	
Requirements for storage areas and containers	:	Follow the water regulations. Cor must be carefully resealed and ke age. Keep only in the original cor ventilated place.	ept upright to prevent leak-
Further information on stor- age conditions	:	Keep away from heat. Keep at te 40°C.	mperatures between 5°C and
Advice on common storage	:	Incompatible with oxidizing agent	S.
7.3 Specific end use(s)			
Specific use(s)	:	High speed cooling lubricant for n	netalworking



Version: 4.7

Print Date: 07.04.2018

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
2-(2- Butoxyeth- oxy)ethanol; dieth- ylene glycol mono- butyl ether	112-34-5	TWA	10 ppm 67.5 mg/m3	2006/15/EC
Further information	Indicative			
		STEL	15 ppm 101.2 mg/m3	2006/15/EC
Further information	Indicative			
		TWA	10 ppm 67.5 mg/m3	GB EH40
		STEL	15 ppm 101.2 mg/m3	GB EH40

8.2 Exposure controls

Personal protective equipme	ent	
Eye protection	:	Safety glasses with side-shields conforming to EN166
Hand protection Material	:	Chemical resistant gloves made of butyl rubber or nitrile rub- ber category III according to EN 374.
Remarks	:	The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. The exact break through time can be obtained from the protective glove producer and this has to be observed.
Skin and body protection	:	protective suit
Respiratory protection	:	not required under normal use When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Do not breathe gas/fumes/vapour/spray.
Filter type	:	ABEK-filter
Protective measures	:	Handle in accordance with good industrial hygiene and safety practice. Follow the skin protection plan.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	:	liquid
------------	---	--------

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 XF126-B21 hebro®lub 921



Version: 4.7		Revision Date: 05.04.2018	Print Date: 07.04.2018
Colour	:	yellow	
Odour	:	characteristic	
Odour Threshold	:	No data available	
рН	:	9.1 (20 °C) Concentration: 50 g/l	
Melting point/freezing point	:	No data available	
Boiling point/boiling range	:	No data available	
Flash point	:	> 100 °C	
Evaporation rate	:	No data available	
Flammability (solid, gas)	:	No data available	
Upper explosion limit	:	No data available	
Lower explosion limit	:	No data available	
Vapour pressure	:	No data available	
Relative vapour density	:	No data available	
Relative density	:	No data available	
Density	:	0.97 g/cm³ (20 °C) Method: DIN 51757	
Solubility(ies) Water solubility	:	300 g/l	
Solubility in other solvents	:	No data available	
Partition coefficient: n- octanol/water	:	No data available	
Auto-ignition temperature	:	No data available	
Decomposition temperature	:	No data available	
Viscosity Viscosity, dynamic	:	No data available	
Viscosity, kinematic	:	> 40 mm²/s (40 °C)	
Flow time	:	No data available	
Explosive properties	:	no explosion risk	
Oxidizing properties	:	No data available	



Version: 4.7	Revision Date: 05.04.2018	Print Date: 07.04.2018
9.2 Other information		
Other physico-chemical pro	operties: This information is not available	/not determined.
SECTION 10: Stability and	reactivity	
10.1 Reactivity		
No decomposition if stored	and applied as directed.	
10.2 Chemical stability		
The product is chemically s	stable.	
10.3 Possibility of hazardous	reactions	
Hazardous reactions	: No dangerous reaction known u	nder conditions of normal use.
10.4 Conditions to avoid		
Conditions to avoid	: No decomposition if used as dire	ected.
10.5 Incompatible materials		
Materials to avoid	: Strong acids and oxidizing agen	ts
10.6 Hazardous decompositio	n products	
In case of fire hazardous de Carbon dioxide (CO2) Carbon monoxide Smoke Nitrogen oxides (NOx)	ecomposition products may be produced	such as:

11.1 Information on toxicological effects

: Acute toxicity estimate: > 2,000 mg/kg Method: Calculation method

Acute toxicity

Components:

Alcohols, C16-18 and C18-ur	nsa	td., ethoxylated:
Acute oral toxicity	:	LD50 (Rat): > 2,000 mg/kg

Skin corrosion/irritation

Product:

Remarks: Repeated or prolonged contact with the mixture may cause removal of natural fat from the skin resulting in desiccation of the skin. May cause eye and skin irritation.



Version: 4.7

Revision Date: 05.04.2018

Print Date: 07.04.2018

Skin corrosion/irritation

Components:

Alcohols, C16-18 and C18-unsatd., ethoxylated:

Species: Rabbit Method: OECD Test Guideline 404 Remarks: Causes skin irritation.

Serious eye damage/eye irritation

Product:

Remarks: The liquid splashed in the eyes may cause irritation and reversible damage.

Serious eye damage/eye irritation

Components:

Alcohols, C16-18 and C18-unsatd., ethoxylated:

Species: Rabbit Method: OECD Test Guideline 405 Remarks: No eye irritation

Respiratory or skin sensitisation

Product:

Remarks: No sensitising effects are known.

Germ cell mutagenicity

Product:

Based on available data, the classification criteria are not met.

Carcinogenicity

Product:

Carcinogenicity - Assess- : Not classifiable as a human carcinogen. ment

Reproductive toxicity

Product:

Based on available data, the classification criteria are not met.

STOT - single exposure

Product:

Based on available data, the classification criteria are not met.

STOT - repeated exposure

Product:

Based on available data, the classification criteria are not met.



Version: 4.7 Revision Date: 05.04.2018 Print Date: 07.04.2018

Aspiration toxicity

Product:

Based on available data, the classification criteria are not met.

Further information

Product:

Remarks: Health injuries are not known or expected under normal use.

SECTION 12: Ecological information

12.1 Toxicity

Product:

Ecotoxicology studies for the product are not available.

Components:

Alcohols, C16-18 and C18-unsatd., ethoxylated:

Toxicity to fish	:	LC50 (Danio rerio (zebra fish)): 10 - 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to microorganisms	:	EC50 : > 10,000 mg/l Method: OECD Test Guideline 209

12.2 Persistence and degradability

Product:

Biodegradability	:	Remarks: No data available
------------------	---	----------------------------

Components:

Alcohols, C16-18 and C18-unsatd., ethoxylated:

E) M R(Th lai Da cc av	odegradation: > 70 % xposure time: 28 d ethod: OECD Test Guideline 301B emarks: Readily biodegradable his surfactant complies with the biodegradability criteria as id down in Regulation (EC) No.648/2004 on detergents. ata to support this assertion are held at the disposal of the ompetent authorities of the Member States and will be made vailable to them, at their direct request or at the request of a betergent manufacturer.
--	--

12.3 Bioaccumulative potential

Product:

Bioaccumulation : R	Remarks: No data available
---------------------	----------------------------

12.4 Mobility in soil

Product:



Version: 4.7	Revision Date: 05.04.2018	Print Date: 07.04.2018	
Mobility :	Remarks: No data available		
12.5 Results of PBT and vPvB asse	essment		
Product:			
Assessment :	This substance/mixture contains no c to be either persistent, bioaccumulativ very persistent and very bioaccumula 0.1% or higher	ve and toxic (PBT), or	
12.6 Other adverse effects			
Product:			
Additional ecological infor- : mation	Do not flush into surface water or san	iitary sewer system.	
SECTION 13: Disposal considerations			
13.1 Waste treatment methods			

Product	:	Dispose of in accordance with local regulations. Do not let product enter drains. Do not dispose of with domestic refuse.
Contaminated packaging	:	Dispose of in accordance with local regulations.
Waste Code	:	120109 : machining emulsions and solutions free of halogens

SECTION 14: Transport information

14.1 UN number

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Refer to protective measures listed in sections 7 and 8.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable for product as supplied.



Version: 4.7 Revision Date: 05.04.2018 Print Date: 07.04.2018

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Other regulations	:	The product is classified and labelled in accordance with EC directives or respective national laws. Regional or national implementations of GHS may not implement all hazard classes and categories.

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance.

SECTION 16: Other information

Full text of H-Statements

H302 :	Harmful if swallowed.
H304 :	May be fatal if swallowed and enters airways.
H315 :	Causes skin irritation.
H318 :	Causes serious eye damage.
H319 :	Causes serious eye irritation.
H411 :	Toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox.	:	Acute toxicity
Aquatic Chronic	:	Chronic aquatic toxicity
Asp. Tox.	:	Aspiration hazard
Eye Dam.	:	Serious eye damage
Eye Irrit.	:	Eye irritation
Skin Irrit.	:	Skin irritation

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No



Version: 4.7

Revision Date: 05.04.2018

Print Date: 07.04.2018

1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Other information

: The information provided is based on our current knowledge and experience and apply to the product as delivered. Regarding the product properties, these are not guaranteed. The delivery of this safety datasheet does not free the recipient of the product from his own responsibility to follow the relevant rules and regulations concerning this product. This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

GB / EN