

Version: 2.14	Revision Date: 27.01.2025	Print Date: 28.01.2025			
SECTION 1: Identification of the substance/mixture and of the company/undertaking					
1.1 Product identifier					
Trade name	: I156-W21 hebro®prenol FL 1000				
1.2 Relevant identified uses of the	substance or mixture and uses adv	vised against			
Use of the Sub- stance/Mixture	: Coagulant for overspray paint in wa	ater-wash spray booths			
1.3 Details of the supplier of the s	afety data sheet				
Company	: hebro chemie- ZN der Roc GmbH Rostocker Str. 40 41199 Mönchengladbach	kwood Specialties Group			
Contact person	: Zentrale hebro chemie				
Telephone	: +49 (0) 2166 6009-0				
Telefax	: +49 (0) 2166 6009-99				
Contact person product safety Telephone E-mail address	Abteilung Produktsicherhei : +49(0)2166 6009-311 : msds.de@hebro-chemie.d				
1.4 Emergency telephone number					

: Giftinformationszentrum Erfurt: +49 (0) 361 730 730

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

Additional Labelling

EUH210 Safety data sheet available on request.

EUH208 Contains a mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.



Revision Date: 27.01.2025

Print Date: 28.01.2025

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: This substance/mixture does not contain components considered to have endocrine disrupting properties for environment according to UK REACH Article 57(f).

Toxicological information: This substance/mixture does not contain components considered to have endocrine disrupting properties for human health according to UK REACH Article 57(f),

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Water based preparation containing silicate

Components

Chemical name	CAS-No. EC-No.	Classification	Concentration (% w/w)
	Index-No.		(/o w/w)
	Registration number		
a mixture of: 5-chloro-2-methyl-	55965-84-9	Acute Tox. 3; H301	>= 0.0002 - <
2H-isothiazol-3-one and 2-methyl-	611-341-5	Acute Tox. 2; H330	0.0015
2H-isothiazol-3-one (3:1)	613-167-00-5	Acute Tox. 2; H310	0.0010
	01-2120764691-48	Skin Corr. 1C; H314	
		Eye Dam. 1; H318	
		Skin Sens. 1A; H317	
		Aquatic Acute 1;	
		H400	
		Aquatic Chronic 1;	
		H410	
		EUH071	
		M Faster (Asute	
		M-Factor (Acute aquatic toxicity): 100	
		M-Factor (Chronic	
		aquatic toxicity): 100	
		aquatic toxicity). 100	
		specific concentration	
		Skin Corr. 1C; H314	
		>= 0.6 %	
		Skin Irrit. 2; H315	
		0.06 - < 0.6 %	
		Eye Irrit. 2; H319	
		0.06 - < 0.6 %	
		Skin Sens. 1A; H317	
		>= 0.0015 %	
		Eye Dam. 1; H318	
		>= 0.6 %	

For explanation of abbreviations see section 16.



Revision Date: 27.01.2025

Print Date: 28.01.2025

SECTION 4: First aid measures

4.1 Description of first aid measures General advice : No hazards which require special first aid measures. If symptoms persist, call a physician. If inhaled No information available. • In case of skin contact : After contact with skin, wash immediately with plenty of water. : In case of eye contact, remove contact lens and rinse imme-In case of eye contact diately with plenty of water, also under the eyelids, for at least 15 minutes. If swallowed Rinse mouth. : Prevent vomiting if possible. 4.2 Most important symptoms and effects, both acute and delayed **Symptoms** No information available. : No information available. Risks · 4.3 Indication of any immediate medical attention and special treatment needed

		E Contraction of the second seco
Treatment	:	Treat symptomatically.
		For specialist advice physicians should contact the Poisons Information Service.

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media Carbon dioxide (CO2) Dry powder Water spray jet

Unsuitable extinguishing : High volume water jet media

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire- fighting	:	The product itself does not burn. Combustion may cause:
Hazardous combustion prod- ucts	:	Carbon oxides

5.3 Advice for firefighters

Special protective equipment	:	Wear self-contained breathing apparatus for firefighting if nec-
for firefighters		essary.



Version: 2.14		Revision Date: 27.01.2025	Print Date: 28.01.2025
Specific extinguishing meth- ods	:	Use water spray to cool unopened cor	ntainers.
Further information	:	Fire residues and contaminated fire ex be disposed of in accordance with loca	

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures				
Personal precautions	:	Handle in accordance with good industrial hygiene and safety practice.		
6.2 Environmental precautions				
Environmental precautions	:	Inform the relevant authorities if it enters sewers, aquatic envi- ronment or soil.		
6.3 Methods and material for containment and cleaning up				
Methods for cleaning up	:	Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite)		

Methous for cleaning up	•	material, (e.g. sand, earth, diatomaceous earth, vermiculite and transfer to a container for disposal according to local / national regulations (see section 13).
		Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

Refer to protective measures listed in sections 7 and 8., For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : No special precautions required.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	:	No special storage conditions required. Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Further information on stor- age conditions	:	Protect from frost.
Advice on common storage	:	No materials to be especially mentioned.
Recommended storage tem- perature	:	5 - 40 °C
7.3 Specific end use(s)		Coagulant for overspray paint in water-wash spray booths

Specific use(s) : Coagulant for overspray paint in water-wash spray booths



Print Date: 28.01.2025

SECTION 8: Exposure contr	SECTION 8: Exposure controls/personal protection		
8.1 Control parameters			
Occupational Exposure Li Contains no substances wit	i mits h occupational exposure limit values.		
8.2 Exposure controls			
Personal protective equip	ment		
Eye/face protection	: Safety glasses with side-shields conforming to EN166		
Hand protection Material Break through time Protective index	 Protective gloves complying with EN 374. > 60 min Class 3 		
Material Glove thickness	: Nitrile rubber : 0.4 mm		
Material Glove thickness	: butyl-rubber : 0.5 mm		
Remarks	: The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. The exact break through time can be obtained from the protective glove producer and this has to be observed.		
Skin and body protection	 Chemical resistant protective clothing according to DIN EN 13034 (Type 6) Work uniform or laboratory coat. 		
Respiratory protection	: If product forms vapours or aerosols wear breathing protec- tion.		
Filter type	: Particulates type (P)		
Protective measures	: When using do not eat, drink or smoke. Wash hands before breaks and at the end of workday.		

Revision Date: 27.01.2025

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	: liquid
Colour	: tan
Odour	: mild

Follow the skin protection plan.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 I156-W21 hebro®prenol FL 1000



Version: 2.14		Revision Date: 27.01.2025	Print Date: 28.01.2025
Melting point/freezing point	:	not determined	
Boiling point/boiling range	:	> 100 °C Method: DIN 51751	
Upper explosion limit / Upper flammability limit	:	not determined	
Lower explosion limit / Lower flammability limit	:	not determined	
Auto-ignition temperature	:	not determined	
рН	:	9.4 (20 °C) (undiluted)	
Viscosity Viscosity, kinematic	:	similar to water	
Solubility(ies) Water solubility	:	completely soluble	
Partition coefficient: n- octanol/water	:	Not applicable	
Vapour pressure	:	23 hPa (20 °C) Information taken from reference worl	ks and the literature.
Density	:	1.06 g/cm³ (20 °C) Method: DIN 51757	
Relative vapour density	:	not determined	
9.2 Other information Explosives	:	No data available	
Metal corrosion rate	:	Not corrosive to metals	



Version: 2.14	Revision Date: 27.01.2025	Print Date: 28.01.2025
SECTION 10: Stability and r	ctivity	
10.1 Reactivity No decomposition if stored	applied as directed.	
10.2 Chemical stability Stable under recommended	prage conditions.	
10.3 Possibility of hazardous r	tions	
Hazardous reactions	: No dangerous reaction known unde	r conditions of normal use
10.4 Conditions to avoid		
Conditions to avoid	: No decomposition if used as directe	d.
10.5 Incompatible materials		
Materials to avoid	: None known.	
10.6 Hazardous decompositio No data available	oducts	
SECTION 11: Toxicological	ormation	
11.1 Information on hazard cla	es as defined in Regulation (EC) No 12	272/2008
Acute toxicity Not classified due to lack of	a	
Components:		
a mixture of: 5-chloro-2-m	yl-2H-isothiazol-3-one and 2-methyl-2	2H-isothiazol-3-one (3:1)
Acute oral toxicity	: LD50 (Rat): 64 mg/kg	
Acute inhalation toxicity	: LC50 (Rat): 0.171 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403	
Acute dermal toxicity		
A lotte definal textory	: LD50 (Rat): > 141 mg/kg Method: OECD Test Guideline 402	
Skin corrosion/irritation	Method: OECD Test Guideline 402	
Skin corrosion/irritation Not classified due to lack of Serious eye damage/eye i	Method: OECD Test Guideline 402 a.	
Skin corrosion/irritation Not classified due to lack of	Method: OECD Test Guideline 402 ta. ation ta.	
Skin corrosion/irritation Not classified due to lack of Serious eye damage/eye i Not classified due to lack of	Method: OECD Test Guideline 402 ta. ation ta.	
Skin corrosion/irritation Not classified due to lack of Serious eye damage/eye i Not classified due to lack of Respiratory or skin sensit	Method: OECD Test Guideline 402 ta. ation ta. tion	

Respiratory sensitisation

Not classified due to lack of data.



Version: 2.14		Revision Date: 27.01.2025	Print Date: 28.01.202
Germ cell mutagenic Not classified due to la			
Carcinogenicity			
	ata, the clas	sification criteria are not met.	
Product:			
Carcinogenicity - Assement	ess- :	Not classifiable as a human carcir	nogen.
Reproductive toxicit	-		
Not classified due to l			
STOT - single expos Not classified due to la			
STOT - repeated exp	osure		
Not classified due to la	ack of data.		
Aspiration toxicity			
Not classified due to la	ack of data.		
1.2 Information on othe	r hazards		
Endocrine disrupting	g propertie	S	
Product:			
Assessment	:	This substance/mixture does not of ered to have endocrine disrupting according to UK REACH Article 5	properties for human health
Further information			
Product:			
Remarks		Health injuries are not known or e	xpected under normal use.

Components:

a mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):					
M-Factor (Acute aquatic tox- : icity)	100				
Toxicity to fish (Chronic tox- : icity)	NOEC: 0.098 mg/l Exposure time: 28 d Species: Oncorhynchus mykiss (rainbow trout) Method: OECD Test Guideline 210				
Toxicity to daphnia and other : aquatic invertebrates (Chron- ic toxicity)	NOEC: 0.004 mg/l Exposure time: 21 d Species: Daphnia (water flea) Method: OECD Test Guideline 211				



Version: 2.14		Revision Date: 27.01.2025	Print Date: 28.01.2025
M-Factor (Chronic aquatic toxicity)	:	100	
12.2 Persistence and degradabil	ity		
Product:			
Biodegradability	:	Remarks: No data available	
12.3 Bioaccumulative potential			
Product:			
Bioaccumulation	:	Remarks: No data available	
Components:			
a mixture of: 5-chloro-2-met	thy	-2H-isothiazol-3-one and 2-methyl-2H	-isothiazol-3-one (3:1):
Partition coefficient: n- octanol/water	:	log Pow: -0.486	
12.4 Mobility in soil			
Product:			
Mobility	:	Remarks: No data available	
12.5 Results of PBT and vPvB as	sse	ssment	
Product:			
Assessment	:	This substance/mixture contains no cor to be either persistent, bioaccumulative very persistent and very bioaccumulative 0.1% or higher.	and toxic (PBT), or
12.6 Endocrine disrupting prope	ertie	es	
Product:			
Assessment	:	This substance/mixture does not contain ered to have endocrine disrupting prop- according to UK REACH Article 57(f).	
12.7 Other adverse effects			
Product: Additional ecological infor- mation	:	Do not flush into surface water or sanita	ary sewer system.
SECTION 13: Disposal consid	der	ations	
13.1 Waste treatment methods Product	:	Do not let product enter drains.	



Version: 2.14		Revision Date: 27.01.2025	Print Date: 28.01.2025
		Do not dispose of with domestic ref Waste codes should be assigned b discussion with the waste disposal	y the user, preferably in
Contaminated packaging	:	Dispose of in accordance with loca	regulations.
Waste Code	:	Waste codes should be assigned b discussion with the waste disposal	

SECTION 14: Transport information

14.1 UN number or ID number				
ADR	:	Not regulated as a dangerous good		
RID	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
IATA_P	:	Not regulated as a dangerous good		
14.2 UN proper shipping name				
ADR	:	Not regulated as a dangerous good		
RID	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
IATA_P	:	Not regulated as a dangerous good		
14.3 Transport hazard class(es)				
ADR	:	Not regulated as a dangerous good		
RID	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
IATA_P	:	Not regulated as a dangerous good		
14.4 Packing group				
ADR	:	Not regulated as a dangerous good		
RID	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
IATA (Cargo)	:	Not regulated as a dangerous good		
IATA_P (Passenger)	:	Not regulated as a dangerous good		
14.5 Environmental hazards				

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.



 Version: 2.14
 Revision Date: 27.01.2025
 Print Date: 28.01.2025

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17)	:	Not applicable
UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation	:	Not applicable
The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain)	:	Not applicable
Regulation (EC) on substances that deplete the ozone layer	:	Not applicable
UK REACH List of substances subject to authorisation (Annex XIV)	:	Not applicable
GB Export and import of hazardous chemicals - Prior Informed Consent (PIC) Regulation	:	Not applicable

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance.

SECTION 16: Other information

Full text of H-Statements

H301	:	Toxic if swallowed.			
H310	:	Fatal in contact with skin.			
H314	:	Causes severe skin burns and eye damage.			
H317	:	May cause an allergic skin reaction.			
H318	:	Causes serious eye damage.			
H330	:	Fatal if inhaled.			
H400	:	Very toxic to aquatic life.			
H410	:	Very toxic to aquatic life with long lasting effects.			
EUH071	:	Corrosive to the respiratory tract.			
Full text of other abbreviations					
Acute Tox.	:	Acute toxicity			
Aquatic Acute	:	Short-term (acute) aquatic hazard			
Aquatic Chronic	:	Long-term (chronic) aquatic hazard			

Aquatic Acute	:	Short-term (acute) aquatic hazard
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Eye Dam.	:	Serious eye damage
Skin Corr.		Skin corrosion
Skin Sens.	:	Skin sensitisation

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regula-



Revision Date: 27.01.2025

Print Date: 28.01.2025

tion (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Other information

The information provided is based on our current knowledge and experience and apply to the product as delivered. Regarding the product properties, these are not guaranteed. The delivery of this safety datasheet does not free the recipient of the product from his own responsibility to follow the relevant rules and regulations concerning this product.

The product is classified and labelled in accordance with EC directives or respective national laws. Regional or national implementations of GHS may not implement all hazard classes and categories. Guideline on the Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment (RoHS) : no component is listed No PFAS are consciously added to the product concerning the restriction proposal for inclusion to REACh (Annex XVII).

GB / EN