according to Regulation (EC) No. 1907/2006

I201-W21 hebro®prenol FL 1780



Version: 2.5 Revision Date: 17.10.2017 Print Date: 18.10.2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : I201-W21 hebro®prenol FL 1780

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Coagulant for overspray paint in water-wash spray booths

stance/Mixture

Contact person

1.3 Details of the supplier of the safety data sheet

Company : hebro chemie- ZN der Rockwood Specialties Group

GmbH

Rostocker Str. 40

41199 Mönchengladbach : Wolfgang Schaffers : +49 (0) 2166 6009-0

Telephone : +49 (0) 2166 6009-0 Telefax : +49 (0) 2166 6009-99

Contact person product safety

Abteilung Produktsicherheit

+49(0)2166 6009-176

E-mail address : wolfgang.schaffers@chemetall.com

1.4 Emergency telephone number

: Giftinformationszentrum Erfurt:

+49 (0) 361 730 730

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

Additional Labelling

EUH208 Contains a mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-

isothiazol-3-one (3:1). May produce an allergic reaction.

EUH210 Safety data sheet available on request.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

The information required is contained in this Material Safety Data Sheet.

according to Regulation (EC) No. 1907/2006

I201-W21 hebro®prenol FL 1780



Version: 2.5 Revision Date: 17.10.2017 Print Date: 18.10.2017

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Water based preparation containing silicate

Hazardous components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.	(REGULATION (EC)	(% w/w)
	Registration number	No 1272/2008)	
Bronopol (INN); 2-bromo-2-	52-51-7	Acute Tox. 4; H312	< 0.1
nitropropane-1,3-diol	200-143-0	Acute Tox. 4; H302	
	01-2119980938-15	STOT SE 3; H335	
		Skin Irrit. 2; H315	
		Eye Dam. 1; H318	
		Aquatic Acute 1; H400	
		Aquatic Chronic 2; H411	
a mixture of: 5-chloro-2-methyl-	55965-84-9	Acute Tox. 3; H331	< 0.0015
2H-isothiazol-3-one and 2-methyl-	611-341-5	Acute Tox. 3; H311	
2H-isothiazol-3-one (3:1)		Acute Tox. 3; H301	
		Skin Corr. 1B; H314	
		Eye Dam. 1; H318	
		Aquatic Acute 1;	
		H400	
		Skin Sens. 1A; H317 Aquatic Chronic 1;	
		H410	
		M-Factor Acute	
		aquatic toxicity:10	
		M-Factor Chronic	
		aquatic toxicity:1	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : No hazards which require special first aid measures.

If inhaled : No information available.

In case of skin contact : After contact with skin, wash immediately with plenty of water.

In case of eye contact : In case of eye contact, remove contact lens and rinse imme-

diately with plenty of water, also under the eyelids, for at least

15 minutes.

If eye irritation persists, consult a specialist.

If swallowed : Rinse mouth.

Prevent vomiting if possible.

If symptoms persist, call a physician.

according to Regulation (EC) No. 1907/2006

I201-W21 hebro®prenol FL 1780



Version: 2.5 Revision Date: 17.10.2017 Print Date: 18.10.2017

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : No information available.

Risks : No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : The product itself does not burn.

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Foam

Water spray jet Dry chemical

Unsuitable extinguishing

media

High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Combustion may cause: Carbon dioxide (CO2) Carbon monoxide

5.3 Advice for firefighters

Special protective equipment:

for firefighters

Wear self-contained breathing apparatus for firefighting if nec-

essary.

Further information : Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Handle in accordance with good industrial hygiene and safety

practice.

6.2 Environmental precautions

Environmental precautions : Inform the relevant authorities if it enters sewers, aquatic envi-

ronment or soil.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, soak up with non-combustible absorbent

material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local /

national regulations (see section 13).

according to Regulation (EC) No. 1907/2006

I201-W21 hebro®prenol FL 1780



Version: 2.5 Revision Date: 17.10.2017 Print Date: 18.10.2017

Keep in suitable, closed containers for disposal. Contaminated surfaces will be extremely slippery.

6.4 Reference to other sections

See chapter 8 and 13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : No special precautions required.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

No special storage conditions required. Containers which are opened must be carefully resealed and kept upright to prevent

leakage.

Further information on stor-

age conditions

Protect from frost. Keep at temperatures between 5°C and

40°C.

Advice on common storage : No materials to be especially mentioned.

7.3 Specific end use(s)

Specific use(s) : Coagulant for overspray paint in water-wash spray booths

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Silicon dioxide	7631-86-9	TWA (inhalable dust)	6 mg/m3 (Silica)	GB EH40
Further information	fractions of air in accordance sampling and COSHH defin kind when pre 8-hour TWA of This means the above these leposure to the contain particulof any particulody responsitised in the contain particulor and the contain particular and the	rborne dust which with the methods do gravimetric analysis ition of a substance is sent at a concentrate of inhalable dust or 4 hat any dust will be sevels. Some dusts have seen at which will be seen ust comply with es of a wide range of a reparticle after entry that it elicits, dependent of the service o	espirable dust and inhalable of the collected when sampling escribed in MDHS14/3 Gene of respirable and inhalable of hazardous to health includes ion in air equal to or greater to mg.m-3 8-hour TWA of respubject to COSHH if people at ave been assigned specific Variety the appropriate limit., Most in of sizes. The behaviour, depoy into the human respiratory of the nature and size of the for limit-setting purposes to the stapproximates to the fraction mouth during breathing and in	g is undertaken ral methods for dust, The dust of any than 10 mg.m-3 irable dust. The exposed VELs and exndustrial dusts sition and fate system and the the particle. The termed 'inhalan of airborne

according to Regulation (EC) No. 1907/2006

I201-W21 hebro®prenol FL 1780



Version: 2.5 Revision Date: 17.10.2017 Print Date: 18.10.2017

	to the fraction definitions and contain compo should be con	that penetrates to the explanatory materionents that have the applied with., Where a times the long-term	oiratory tract. Respirable on the gas exchange region of al are given in MDHS14/3 ir own assigned WEL, all the specific short-term exp exposure should be used	f the lung. Fuller B., Where dusts the relevant limits osure limit is listed,
		TWA (Respirable dust)	2.4 mg/m3 (Silica)	GB EH40
Further information	TWA (Respirable 2.4 mg/m3 GB EH40		oling is undertaken eneral methods for olle dust, The des dust of any ter than 10 mg.m-3 espirable dust. e are exposed fic WELs and exst industrial dusts eposition and fate ory system and the of the particle. es termed 'inhalaction of airborne and is therefore dust approximates of the lung. Fuller 3., Where dusts the relevant limits insure limit is listed,	

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Bronopol (INN); 2-bromo-2-	Fresh water	0.01 mg/l
nitropropane-1,3-diol		
	Marine water	0.0008 mg/l
	Sewage treatment plant	0.43 mg/l
	Fresh water sediment	0.41 mg/kg dry
		weight (d.w.)
	Marine sediment	0.00328 mg/kg
		dry weight (d.w.)
	Soil	0.5 mg/kg dry
		weight (d.w.)

8.2 Exposure controls

Personal protective equipment

Eye protection : not required

Hand protection

Material : Chemical resistant gloves made of butyl rubber or nitrile rub-

ber category III according to EN 374.

Skin and body protection : not required

Respiratory protection : Use respirator when performing operations involving potential

according to Regulation (EC) No. 1907/2006

I201-W21 hebro®prenol FL 1780



Version: 2.5 Revision Date: 17.10.2017 Print Date: 18.10.2017

exposure to vapour of the product.

Protective measures : Follow the skin protection plan.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : liquid

Colour : tan

Odour : characteristic

Odour Threshold : No data available

pH : 9.60 (20 °C)

Concentration: 1,000 g/l

Melting point/freezing point : No data available

Boiling point/boiling range : Method: DIN 51751

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit : No data available

Lower explosion limit : No data available

Vapour pressure : 20 hPa

Information taken from reference works and the literature.

Relative vapour density : No data available

Relative density : No data available

Density : 1.09 g/cm³ (20 °C)

Method: DIN 51757

Solubility(ies)

Water solubility : 100 g/l

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

according to Regulation (EC) No. 1907/2006

I201-W21 hebro®prenol FL 1780



Version: 2.5 Revision Date: 17.10.2017 Print Date: 18.10.2017

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Flow time : No data available

Explosive properties : No data available

Oxidizing properties : No data available

9.2 Other information

Other physico-chemical properties: This information is not available/not determined.

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid : No decomposition if used as directed.

10.5 Incompatible materials

Materials to avoid : None known.

10.6 Hazardous decomposition products

No data available

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product:

Based on available data, the classification criteria are not met.

Acute toxicity

Components:

Bronopol (INN); 2-bromo-2-nitropropane-1,3-diol:

Acute oral toxicity : LD50 (Rat): 305 mg/kg

Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 402

according to Regulation (EC) No. 1907/2006

I201-W21 hebro®prenol FL 1780



Version: 2.5 Revision Date: 17.10.2017 Print Date: 18.10.2017

a mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Acute oral toxicity : LD50 (Rat): 457 mg/kg

Acute inhalation toxicity : LC50 (Rat): 2.36 mg/l

Exposure time: 4 h

Acute dermal toxicity : LD50 (Rabbit): 660 mg/kg

Skin corrosion/irritation

Product:

Remarks: Repeated or prolonged contact with the mixture may cause removal of natural fat from the skin resulting in desiccation of the skin.

May cause skin irritation in susceptible persons.

Serious eye damage/eye irritation

Product:

Remarks: The liquid splashed in the eyes may cause irritation and reversible damage.

Respiratory or skin sensitisation

Product:

Remarks: This information is not available.

Germ cell mutagenicity

Product:

Based on available data, the classification criteria are not met.

Carcinogenicity

Product:

Carcinogenicity - Assess- : Not classifiable as a human carcinogen.

ment

Reproductive toxicity

Product:

Based on available data, the classification criteria are not met.

STOT - single exposure

Product:

Based on available data, the classification criteria are not met.

STOT - repeated exposure

Product:

Based on available data, the classification criteria are not met.

according to Regulation (EC) No. 1907/2006

I201-W21 hebro®prenol FL 1780



Version: 2.5 Revision Date: 17.10.2017 Print Date: 18.10.2017

Aspiration toxicity

Product:

Based on available data, the classification criteria are not met.

Further information

Product:

Remarks: Health injuries are not known or expected under normal use.

SECTION 12: Ecological information

12.1 Toxicity

Product:

Ecotoxicology studies for the product are not available.

Components:

Bronopol (INN); 2-bromo-2-nitropropane-1,3-diol:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 41.2 mg/l

Exposure time: 96 h

LC50 (Oncorhynchus mykiss (rainbow trout)): 39.1 mg/l

Exposure time: 49 d

Method: OECD Test Guideline 210

Toxicity to daphnia and other :

aquatic invertebrates

EC50: 1.4 mg/l

Exposure time: 48 h

NOEC (Daphnia magna (Water flea)): 0.27 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

Toxicity to algae : EC50 : 0.4 - 2.8 mg/l

Exposure time: 72 h

Toxicity to microorganisms : EC20 (activated sludge): 2 mg/l

Exposure time: 150 min

Method: OECD Test Guideline 209

a mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.19 mg/l

Exposure time: 96 h

LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.28 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.16 mg/l

Exposure time: 48 h

Test Type: Immobilization

NOEC (Daphnia magna (Water flea)): 0.035 mg/l

Exposure time: 21 d

according to Regulation (EC) No. 1907/2006

I201-W21 hebro®prenol FL 1780



Version: 2.5 Revision Date: 17.10.2017 Print Date: 18.10.2017

Toxicity to algae EC50 (Scenedesmus capricornutum (fresh water algae)):

0.027 mg/l

Exposure time: 72 h

M-Factor (Acute aquatic tox- :

icity)

Toxicity to microorganisms EC50 (Pseudomonas putida): 0.79 mg/l

Exposure time: 16 h

M-Factor (Chronic aquatic

toxicity)

12.2 Persistence and degradability

Product:

: Remarks: No data available Biodegradability

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data available

Components:

a mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Partition coefficient: n-

octanol/water

: log Pow: -0.486

12.4 Mobility in soil

Product:

Mobility : Remarks: No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher...

12.6 Other adverse effects

Product:

mation

Additional ecological infor- : Do not flush into surface water or sanitary sewer system.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product Do not let product enter drains.

according to Regulation (EC) No. 1907/2006

I201-W21 hebro®prenol FL 1780



Version: 2.5 Revision Date: 17.10.2017 Print Date: 18.10.2017

Do not dispose of with domestic refuse.

Waste codes should be assigned by the user, preferably in

discussion with the waste disposal authorities.

Contaminated packaging : Dispose of in accordance with local regulations.

Waste Code : 070799 : wastes not otherwise specified

SECTION 14: Transport information

14.1 UN number

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Refer to protective measures listed in sections 7 and 8.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Other regulations : The product is classified and labelled in accordance with EC

directives or respective national laws.

Regional or national implementations of GHS may not imple-

ment all hazard classes and categories.

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance.

SECTION 16: Other information

Full text of H-Statements

H301 : Toxic if swallowed.
H302 : Harmful if swallowed.
H311 : Toxic in contact with skin.
H312 : Harmful in contact with skin.

H314 : Causes severe skin burns and eye damage.

H315 : Causes skin irritation.

H317 : May cause an allergic skin reaction. H318 : Causes serious eye damage.

according to Regulation (EC) No. 1907/2006

I201-W21 hebro®prenol FL 1780



Version: 2.5 Revision Date: 17.10.2017 Print Date: 18.10.2017

H331 : Toxic if inhaled.

H335 : May cause respiratory irritation.

H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.H411 : Toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Acute : Acute aquatic toxicity
Aquatic Chronic : Chronic aquatic toxicity
Eye Dam. : Serious eye damage
Skin Corr. : Skin corrosion
Skin Irrit. : Skin irritation
Skin Sens. : Skin sensitisation

STOT SE : Specific target organ toxicity - single exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Other information : The information provided is based on our current knowledge

and experience and apply to the product as delivered. Regarding the product properties, these are not guaranteed. The delivery of this safety datasheet does not free the recipient of the product from his own responsibility to follow the relevant

rules and regulations concerning this product.

This safety datasheet complies with the requirements of

Regulation (EC) No. 1907/2006.

according to Regulation (EC) No. 1907/2006

I201-W21 hebro®prenol FL 1780



Version: 2.5 Revision Date: 17.10.2017 Print Date: 18.10.2017

GB / EN